



HYPER—UNIFIED STORAGE

Nexsan Unity

SNMP Messages

Reference Guide

Copyright © 2010—2019 Nexsan Technologies, Inc. All rights reserved.

Trademarks

Nexsan® is a trademark or registered trademark of Nexsan Technologies, Inc. The Nexsan logo is a registered trademark of Nexsan Technologies, Inc. All other trademarks and registered trademarks are the property of their respective owners.

Patents

This product is protected by one or more of the following patents, and other pending patent applications worldwide:

United States patents US8,191,841, US8,120,922;

United Kingdom patents GB2466535B, GB2467622B, GB2467404B, GB2296798B, GB2297636B

About this document

Unauthorized use, duplication, or modification of this document in whole or in part without the written consent of Nexsan Technologies, Inc. is strictly prohibited.

Nexsan Technologies, Inc. reserves the right to make changes to this manual, as well as the equipment and software described in this manual, at any time without notice. This manual may contain links to Web sites that were current at the time of publication, but have since been moved or become inactive. It may also contain links to sites owned and operated by third parties. Nexsan is not responsible for the content of any such third-party site.

About this document

This document lists the Nexsan SNMP log messages.

Audience

This guide has been prepared for the following audience:

- IT system administrators
- Engineers
- Technicians
- Any qualified NST/Unity administrator.

Conventions

Here is a list of text conventions used in this document:

Convention	Description
<u>underlined</u> <u>blue</u>	Cross-references, hyperlinks, URLs, and email addresses.
boldface	Text that refers to labels on the physical unit or interactive items in the graphical user interface (GUI).
<code>monospace</code>	Text that is displayed in the command-line interface (CLI) or text that refers to file or directory names.
monospace bold	Text strings that must be entered by the user in the command-line interface or in text fields in the graphical user interface (GUI).
<i>italics</i>	System messages and non-interactive items in the graphical user interface (GUI) References to Software User Guides

Notes, Tips, Cautions, and Warnings

Note Notes contain important information, present alternative procedures, or call attention to certain items.

Tip Tips contain handy information for end-users, such as other ways to perform an action.



CAUTION: In hardware manuals, cautions alert the user to items or situations which may cause damage to the unit or result in mild injury to the user, or both. In software manuals, cautions alert the user to situations which may cause data corruption or data loss.



WARNING: Warnings alert the user to items or situations which may result in severe injury or death to the user.

Contacting Nexsan

For questions about Nexsan products, please visit the [Nexsan support](#) Web page, and the Nexsan Unity [Documents & Online Help](#) page. If you are unable to find the answer to your question there, please see our contact information below.

Service and support

Nexsan's Technical Services Group provides worldwide assistance with installation, configuration, software support, warranty, and repair for all Nexsan products. A variety of service and support programs are available to provide you with the level of coverage and availability your operation requires.

Nexsan Unity Documentation & Online Help page:

https://helper.nexsansupport.com/unt_downloads.html

Unity Online Help page:

https://helper.nexsansupport.com/unt_onlinehelp.html

Contact Nexsan Unity support:

https://helper.nexsansupport.com/unt_support

Worldwide Web site:

www.nexsan.com

Related documentation

The following Nexsan product manuals contain related information:

- Nexsan Unity Online Help
- *Nexsan Unity Hardware Reference Guide*
- *Nexsan Unity Hardware Maintenance Guide, Unity Next Generation*
- *Nexsan Unity Software User Guide*
- *Nexsan Unity nxadmin Command-line Interface Reference Guide*
- *Nexsan Unity nxcmd Command-line Interface Reference Guide*
- *Nexsan Unity Snapshots and Replication Guide*
- *Nexsan Unity Storage Expansion Reference Guide*
- *Nexsan Unity VMware Best Practices Guide*
- *Nexsan Unity NFS Interoperability*
- *Nexsan Unity Networking Best Practices Guide*
- *Nexsan Unity Performance Best Practices Guide*
- *Nexsan Unity Microsoft Best Practices Guide*

SNMP logs

ID: 001013

LEVEL: INFORMATION MESSAGE: All log files were cleared by %s.

"PoolCreate" :

v. 6.0ID: 001014

LEVEL: INFORMATION MESSAGE: Storage pool \"%s\" was created on the system by %s.

"PoolDestroy" :

ID: 001015

LEVEL: INFORMATION MESSAGE: Storage pool \"%s\" was deleted from the system by %s.

ID: 001016

LEVEL: INFORMATION MESSAGE: Pool scrub was initiated on Storage pool \"%s\" by %s.

ID: 001017

LEVEL: INFORMATION MESSAGE: User %s attempted to clear status of pool \"%s\"

ID: 001018

LEVEL: INFORMATION MESSAGE: ___Share___ \"%s\" was added to the pool \"%s\" by %s.

ID: 001019

LEVEL: INFORMATION MESSAGE: The dataset \"%s\" in the pool \"%s\" was destroyed by %s.

ID: 001020

LEVEL: INFORMATION MESSAGE: ACL permission \"%s\" has been granted to %s %s on file \"%s\" by %s.

ID: 001021

LEVEL: INFORMATION MESSAGE: Pool failover for storage pool \"%s\" to the pool's replica on site \"%s\" was initiated by %s.

ID: 001022

LEVEL: INFORMATION MESSAGE: Site failover of site \"%s\" to site \"%s\" was initiated by %s.

ID: 001023

LEVEL: INFORMATION MESSAGE: Removal of the replication of storage pool \"%s\" on \"%s\" was initiated by %s.

ID: 001024

LEVEL: INFORMATION MESSAGE: Lun \"%s\" on the target group \"%s\" is created by %s.

ID: 001025

LEVEL: INFORMATION MESSAGE: Lun \"%s\" is renamed to \"%s\" by %s.

ID: 001026

LEVEL: INFORMATION MESSAGE: Lun \"%s\" has been sized to \"%s\" by %s.

ID: 001027

LEVEL: INFORMATION MESSAGE: A software update of the system was initiated by %s.

ID: 001028

LEVEL: INFORMATION MESSAGE: A restart of the system was initiated by %s.

ID: 001029

LEVEL: INFORMATION MESSAGE: A shutdown of the system was initiated by %s.

ID: 001030

LEVEL: INFORMATION MESSAGE: A cluster failover operation was initiated by %s.

ID: 001031

LEVEL: INFORMATION MESSAGE: Moving of pool \"%s\" was initiated from service: %s to %s.

ID: 001032

LEVEL: INFORMATION MESSAGE: The ___share_ ___ \"%s\" in pool \"%s\" was renamed to %s by %s.

ID: 001033

LEVEL: INFORMATION MESSAGE: The site name was changed from \"%s\" to \"%s\" by %s.

ID: 001034

LEVEL: INFORMATION MESSAGE: The remote site \"%s\" has been added to the site \"%s\" by %s.

ID: 001035

LEVEL: INFORMATION MESSAGE: The remote site \"%s\" has been removed from the site \"%s\" by %s.

ID: 001036

LEVEL: INFORMATION MESSAGE: Granted \"%s\" privilege to %s %s by %s.

ID: 001037

LEVEL: INFORMATION MESSAGE: Removed \"%s\" privilege from %s %s by %s.

ID: 001038

LEVEL: INFORMATION MESSAGE: Local \"%s\" was added by %s.

ID: 001039

LEVEL: INFORMATION MESSAGE: Local \"%s\" was removed by %s.

ID: 001040

LEVEL: INFORMATION MESSAGE: The password for %s was changed by %s.

ID: 001041

LEVEL: INFORMATION MESSAGE: A %s of the storage device 0x%s was initiated by %s.

ID: 001042

LEVEL: INFORMATION MESSAGE: The \"%s\" storage device was added to the system by %s.

ID: 001043

LEVEL: WARNING MESSAGE: Unable to log the addition of a new device, the system failed to query the list of storage devices

ID: 001044

LEVEL: INFORMATION MESSAGE: The network settings were changed by %s. These settings represent the current network configuration for the system:\n%sSubnet mask: \n%s\nDefault gateway: %s\nPreferred DNS server: %s\nAlternate DNS server: %s

ID: 001045

LEVEL: INFORMATION MESSAGE: A restart of the passive controller (controller %s) was initiated by %s.

ID: 001046

LEVEL: INFORMATION MESSAGE: The passive controller (controller %s) was powered on by %s.

ID: 001047

LEVEL: INFORMATION MESSAGE: The passive controller (controller %s) was powered off by %s.

ID: 001048

LEVEL: INFORMATION MESSAGE: The \"%s\" ____ nested_share____ was added under ____share____ \"%s\" on pool \"%s\" by %s.

ID: 001049

LEVEL: INFORMATION MESSAGE: The \"%s\" ____ nested_share____ under ____share____ \"%s\" in pool \"%s\" was unshared by %s. The data contained within the ____share____ has been conserved.

ID: 001050

LEVEL: INFORMATION MESSAGE: The \"%s\" ____ nested_share____ under ____share____ \"%s\" in pool \"%s\" was deleted by %s.

ID: 001051

LEVEL: INFORMATION MESSAGE: The ____ nested_share____ \"%s\" under ____share____ \"%s\" in pool \"%s\" was renamed to \"%s\" by %s.

ID: 001052

LEVEL: INFORMATION MESSAGE: Synchronous replication added to pool \"%s\".

ID: 001053

LEVEL: INFORMATION MESSAGE: Synchronous replication removed from pool \"%s\".

ID: 001054

LEVEL: INFORMATION MESSAGE: The \"%s\" ____ share____ was rolled back to the \"%s\" snapshot by %s.

ID: 001055

LEVEL: INFORMATION MESSAGE: The \"%s\" snapshot was rolled back by %s.

ID: 001056

LEVEL: CRITICAL MESSAGE: Failed to create the ConfigManager.

ID: 001057

LEVEL: WARNING MESSAGE: Method getConnectionIPs failed.

ID: 001058

LEVEL: VERBOSE MESSAGE: Method sitelsConfigured is being called locally instead of remotely for host: %s

ID: 001059

LEVEL: WARNING MESSAGE: sitelsConfigured failed

ID: 001060

LEVEL: WARNING MESSAGE: Failed to get device volumes for %s

ID: 001061

LEVEL: WARNING MESSAGE: %s

ID: 001062

LEVEL: WARNING MESSAGE: Unable to determine if ftp is enabled.

ID: 001063

LEVEL: WARNING MESSAGE: Unable to determine if ftp support is enabled.

ID: 001064

LEVEL: WARNING MESSAGE: Failed to disable FTP service.

ID: 001065

LEVEL: WARNING MESSAGE: Failed to get the list of ____shares____.

ID: 001066

LEVEL: INFORMATION MESSAGE: Sharing FTP %s

ID: 001067

LEVEL: WARNING MESSAGE: Error during the set policy settings operation.

ID: 001068

LEVEL: WARNING MESSAGE: Error during the overwrite policy settings operation.

ID: 001069

LEVEL: WARNING MESSAGE: Failed to load the site Async Replication encryption info.

ID: 001070

LEVEL: WARNING MESSAGE: Failed to load the site Async Replication compression info.

ID: 001071

LEVEL: WARNING MESSAGE: Failed to load the site Async Replication network type info.

ID: 001072

LEVEL: WARNING MESSAGE: Failed to load the site Async Replication outgoing interface info.

ID: 001073

LEVEL: WARNING MESSAGE: Failed to save speed_limit json file: %s

ID: 001074

LEVEL: WARNING MESSAGE: Failed to load the site Autolog Schedule
"OperationFailWebSessionExpired"

ID: 001075

LEVEL: WARNING MESSAGE: Operation %s failed.
Error: %s
"AuditRonEula"

ID: 001076

LEVEL: INFORMATION MESSAGE: '%s' accepted the n-WaySync EULA agreement.
"AuditRonCreateOrg"

ID: 001077

LEVEL: INFORMATION MESSAGE: An organisation '%s' was created using %s as registration email by '%s'.
"AuditRonJoinOrg"

ID: 001078

LEVEL: INFORMATION MESSAGE: Unity was joined to an organization registered with %s by '%s'.
"AuditRonLeaveDeleteOrg"

ID: 001079

LEVEL: INFORMATION MESSAGE: User '%s' unjoined Unity from an organization. The organization was not preserved.
"AuditRonLeaveOrg"

ID: 001080

LEVEL: INFORMATION MESSAGE: User '%s' has unjoined the Unity from an organization. The organization was preserved.
"AuditRonImportFolder"

ID: 001081

LEVEL: INFORMATION MESSAGE: User '%s' has synced '%s' to system.
"AuditRonReplicateFolder"

ID: 001082

LEVEL: INFORMATION MESSAGE: User '%s' has replicated a folder onto '%s'.
"AuditRonModifyFolder"

ID: 001083

LEVEL: INFORMATION MESSAGE: User '%s' has renamed %s.
"AuditRonFolderRemove"

ID: 001084

LEVEL: INFORMATION MESSAGE: Replication was removed on %s by '%s'.
"AuditRonBandWidthChange"

ID: 001085

LEVEL: INFORMATION MESSAGE: User '%s' has changed the bandwidth settings. The settings for %s are as follows:\nDownstream limit is %s.\nUpstream limit is %s.
"AuditRonWanChange"

ID: 001086

LEVEL: INFORMATION MESSAGE: User '%s' re-configured wan settings for %s. The settings are as follows: %s
"AuditRonConfirmEmail"

ID: 001087

LEVEL: INFORMATION MESSAGE: Organisation e-mail was confirmed by '%s'.
"AuditRonPasswordReset"

ID: 001088

LEVEL: INFORMATION MESSAGE: Organisation password reset was initiated by '%s'.
"AuditRonOrgModify"

ID: 001089

LEVEL: INFORMATION MESSAGE: User '%s' modified the organisation. %s
"AuditRonActivate"

ID: 001090

LEVEL: INFORMATION MESSAGE: User '%s' activated n-WaySync feature.
"AuditRonPasswordChanged"

ID: 001091

LEVEL: INFORMATION MESSAGE: User '%s' has successfully changed the organization password.

ID: 001092

LEVEL: INFORMATION MESSAGE: The encryption keys for storage enclosure %s have been downloaded by user %s

ID: 001093

LEVEL: INFORMATION MESSAGE: The storage enclosure %s has been encrypted by user %s

ID: 001094

LEVEL: INFORMATION MESSAGE: The storage enclosure %s has been decrypted by user %s

ID: 001095

LEVEL: INFORMATION MESSAGE: The web file access was changed for %s by user %s

ID: 001096

LEVEL: INFORMATION MESSAGE: The web file access was disabled on %s by user %s

ID: 001097

LEVEL: INFORMATION MESSAGE: The ____ nested_share ____ \"%s\" under ____share ____ \"%s\" in pool \"%s\" was moved to \"%s\" by %s.

ID: 001098

LEVEL: INFORMATION MESSAGE: The directory \"%s\" under ____share ____ \"%s\" in pool \"%s\" was moved to \"%s\" by %s.

ID: 001099

LEVEL: INFORMATION MESSAGE: The mobile access was changed for %s by user %s

ID: 001100

LEVEL: INFORMATION MESSAGE: The mobile access was disabled on %s by user %s

ID: 001101

LEVEL: INFORMATION MESSAGE: The web link access was %s for %s by user %s

ID: 002001

LEVEL: WARNING MESSAGE: Unable to get SoapStackTraces property: %s

ID: 003001

LEVEL: VERBOSE MESSAGE: Executing COMSTAR command: %s

ID: 003002

LEVEL: VERBOSE MESSAGE: Execution of COMSTAR command failed: %s

ID: 003003

LEVEL: INFORMATION MESSAGE: iSCSI target \"%s\" is renamed to \"%s\".

ID: 003004

LEVEL: INFORMATION MESSAGE: iSCSI target \"%s\" is created.

ID: 003005

LEVEL: INFORMATION MESSAGE: iSCSI target \"%s\" is removed.

ID: 003006

LEVEL: WARNING MESSAGE: Timed out, waiting for target to offline. Assuming success. %s

ID: 003007

LEVEL: WARNING MESSAGE: Failed to check Fibre Channel target.

ID: 003008

LEVEL: INFORMATION MESSAGE: Failed to get target port groups for pool: \"%s\"

ID: 003009

LEVEL: INFORMATION MESSAGE: Executing COMSTAR command: %s

ID: 003010

LEVEL: INFORMATION MESSAGE: Execution of COMSTAR command failed: %s

ID: 004001

LEVEL: WARNING MESSAGE: E-Centre has failed to rename the ___nested_share___: %s

ID: 004002

LEVEL: WARNING MESSAGE: E-Centre has failed to rename the ___nested_share___: %s, ___nested_share___ is missing.

ID: 004003

LEVEL: INFORMATION MESSAGE: E-Centre has failed to rename the ___nested_share___: %s, no ___nested_shares___ found.

ID: 004004

LEVEL: INFORMATION MESSAGE: Removing cfg file because ___nested_share___ list is empty for: %s

ID: 004005

LEVEL: WARNING MESSAGE: Failed to get the mount point for file system [%s]

ID: 004006

LEVEL: WARNING MESSAGE: Failed to add the ___nested_share___ [%s] on file system [%s]

ID: 004007

LEVEL: WARNING MESSAGE: E-Centre has failed to delete a ___nested_share___.

ID: 004008

LEVEL: WARNING MESSAGE: Failed to remove the ___nested_shares___ for ___share___ '%s' in pool \"%s\": %s

ID: 004009

LEVEL: WARNING MESSAGE: Failed to rename file system: %s to file system: %s

ID: 004010

LEVEL: INFORMATION MESSAGE: Failed to change the owner of the existing folder used for the ___nested_share___

ID: 004011

LEVEL: WARNING MESSAGE: E-Centre has failed to remove the path %s

ID: 004012

LEVEL: WARNING MESSAGE: Exception occurred while syncing ___nested_shares___ for filesystem: %s

ID: 004013

LEVEL: WARNING MESSAGE: Failed to get the file system mount point for pool %s

ID: 005001

LEVEL: INFORMATION MESSAGE: Ignoring user from different domain: %s

ID: 005002

LEVEL: ERROR MESSAGE: Unhandled access entry type: %s

ID: 005003

LEVEL: ERROR MESSAGE: Unhandled access level type: %s

ID: 005004

LEVEL: INFORMATION MESSAGE: Granted access to %s %s on the pool %s

ID: 005005

LEVEL: INFORMATION MESSAGE: Removed access from %s %s on the pool %s

ID: 005006

LEVEL: INFORMATION MESSAGE: Ignoring group from different domain: %s

ID: 005007

LEVEL: INFORMATION MESSAGE: Granted %s admin privilege to user(s): %s

ID: 005008

LEVEL: INFORMATION MESSAGE: Granted %s admin privilege to group(s): %s

ID: 005009

LEVEL: INFORMATION MESSAGE: Removed all user and group access from the site %s

ID: 005010

LEVEL: INFORMATION MESSAGE: Removed all user and group access on pools on the site %s

ID: 005011

LEVEL: VERBOSE MESSAGE: Removed %s privilege to %s %s

ID: 005012

LEVEL: CRITICAL MESSAGE: Error adding pool %s to cluster configuration. Service %s was not found.

ID: 005013

LEVEL: CRITICAL MESSAGE: Error adding extra IP entry %s %s to cluster configuration. Service %s was not found.

ID: 005014

LEVEL: CRITICAL MESSAGE: Error saving configuration file %s.

ID: 005015

LEVEL: CRITICAL MESSAGE: Error removing extra IP entry %s %s to cluster configuration. Service %s was not found.

ID: 005016

LEVEL: ERROR MESSAGE: Error removing pool from cluster configuration. Could not find pool name %s for service %s.

ID: 005017

LEVEL: ERROR MESSAGE: Error removing pool from configuration. Could not find mount point %s for service %s.

ID: 005018

LEVEL: ERROR MESSAGE: %s.

ID: 005019

LEVEL: ERROR MESSAGE: Failed to delete shared %s %s.

ID: 005020

LEVEL: ERROR MESSAGE: Failed to delete %s.

ID: 005021

LEVEL: CRITICAL MESSAGE: Failed to clear the Task In Progress panel.

ID: 005022

LEVEL: CRITICAL MESSAGE: Failed to discovery HBA adapter info.

ID: 005023

LEVEL: INFORMATION MESSAGE: %s.

ID: 005024

LEVEL: INFORMATION MESSAGE: %s.

ID: 005025

LEVEL: WARNING MESSAGE: %s.

ID: 005026

LEVEL: WARNING MESSAGE: %s.

ID: 005027

LEVEL: WARNING MESSAGE: Failed to remove stale iSCSI targets.

ID: 005028

LEVEL: WARNING MESSAGE: Failed to reset name directory.

ID: 005029

LEVEL: WARNING MESSAGE: Failed to reset preferences to their default values.

ID: 005030

LEVEL: WARNING MESSAGE: Failed to communicate with caching service.

ID: 005031

LEVEL: WARNING MESSAGE: %s

ID: 005032

LEVEL: ERROR MESSAGE: Failed to clear offlined storage device data during site reset.

ID: 005033

LEVEL: INFORMATION MESSAGE: Pools are being destroyed: %s

ID: 005034

LEVEL: ERROR MESSAGE: %s

ID: 005035

LEVEL: ERROR MESSAGE: %s

ID: 005036

LEVEL: ERROR MESSAGE: %s

ID: 005037

LEVEL: ERROR MESSAGE: Failed to remove current site from remote site: %s

ID: 005038

LEVEL: ERROR MESSAGE: %s

ID: 005039

LEVEL: ERROR MESSAGE: Failed to redetect external storage devices.

ID: 005040

LEVEL: ERROR MESSAGE: %s.

ID: 005041

LEVEL: ERROR MESSAGE: %s.

ID: 005042

LEVEL: ERROR MESSAGE: %s.

ID: 005043

LEVEL: ERROR MESSAGE: %s.

ID: 005044

LEVEL: ERROR MESSAGE: %s.

ID: 005045

LEVEL: ERROR MESSAGE: %s.

ID: 005046

LEVEL: ERROR MESSAGE: %s

ID: 005047

LEVEL: ERROR MESSAGE: %s

ID: 005048

LEVEL: ERROR MESSAGE: %s.

ID: 005049

LEVEL: ERROR MESSAGE: %s.

ID: 005050

LEVEL: ERROR MESSAGE: %s.

ID: 005051

LEVEL: ERROR MESSAGE: Failed to reset admin password.

ID: 005052

LEVEL: ERROR MESSAGE: %s

ID: 005053

LEVEL: ERROR MESSAGE: %s

ID: 005054

LEVEL: ERROR MESSAGE: %s

ID: 005055

LEVEL: ERROR MESSAGE: Failed to invalidate chassis collection cache.

ID: 005056

LEVEL: ERROR MESSAGE: %s

ID: 005058

LEVEL: VERBOSE MESSAGE: Added remote site info: %s

ID: 005059

LEVEL: INFORMATION MESSAGE: BaseDN not specified, using: %s

ID: 005060

LEVEL: WARNING MESSAGE: Failed to stop task: %s

ID: 005061

LEVEL: WARNING MESSAGE: %s

ID: 005062

LEVEL: INFORMATION MESSAGE: Failed to decode IPMI password.

ID: 005063

LEVEL: ERROR MESSAGE: Site reset failed.

ID: 005065

LEVEL: INFORMATION MESSAGE: Site \"%s\" has been reset.

ID: 005066

LEVEL: INFORMATION MESSAGE: Beginning reset of site \"%s\".

ID: 005067

LEVEL: ERROR MESSAGE: Failed to reset async replication settings.

ID: 006001

LEVEL: VERBOSE MESSAGE: Replication on dataset %s is %s%% completed.

ID: 006002

LEVEL: VERBOSE MESSAGE: Failed to query replication progress, system will retry.

ID: 007000

LEVEL: VERBOSE MESSAGE: Failed to generate metadata for files in: %s

ID: 007001

LEVEL: WARNING MESSAGE: Failed to parse metadata file: %s

ID: 007002

LEVEL: WARNING MESSAGE: Failing NARS metadata verification because of invalid file name: %s

ID: 007003

LEVEL: VERBOSE MESSAGE: Scanning for finished export/import task in system.

ID: 007004

LEVEL: INFORMATION MESSAGE: Need to clear task for: %s
Status: %s

ID: 007005

LEVEL: WARNING MESSAGE: Unable to get status of nars operation in dataset: %s

ID: 007006

LEVEL: CRITICAL MESSAGE: Failed to release resource

ID: 007007

LEVEL: VERBOSE MESSAGE: Will retry in next interval. Retries left: %s

ID: 007008

LEVEL: CRITICAL MESSAGE: NarsMonitor failed.

ID: 007009

LEVEL: INFORMATION MESSAGE: Pool exists, it will get destroyed: \"%s\"

ID: 007010

LEVEL: INFORMATION MESSAGE: Pool created on removable storage: \"%s\"

ID: 007011

LEVEL: CRITICAL MESSAGE: A demote operation failed and changes to the system were not successfully reverted. The ___share___ named %s should have been removed. Please contact Nexsan support to resolve the issue.

ID: 007012

LEVEL: VERBOSE MESSAGE: Exporting %s to directory %s.

ID: 007013

LEVEL: INFORMATION MESSAGE: Failed to get property: %s, dataset: %s. Property will be read from the site config.

ID: 007014

LEVEL: VERBOSE MESSAGE: Unable to unmount after listing export metadata.

ID: 007015

LEVEL: WARNING MESSAGE: Importing Snapshot %s will not be performed as the name is not valid.

ID: 007016

LEVEL: WARNING MESSAGE: Importing Snapshot %s will not be performed as it could not be found on device %s.

ID: 007017

LEVEL: WARNING MESSAGE: Importing snapshot %s will not be performed.

ID: 007018

LEVEL: INFORMATION MESSAGE: Mounting device: %s

ID: 007019

LEVEL: INFORMATION MESSAGE: Formatting removable device because no pool found on device: %s

ID: 007020

LEVEL: VERBOSE MESSAGE: Restored %s/users/nars/.ssh/authorized_keys

ID: 007021

LEVEL: WARNING MESSAGE: Failed restore users from local site.

ID: 007022

LEVEL: WARNING MESSAGE: Failed to list differences during preserve.

ID: 007023

LEVEL: INFORMATION MESSAGE: reserving ___share___ %s as part of demote operation.

ID: 007024

LEVEL: ERROR MESSAGE: Error creating ___share___ preserve as part of pool demotion for ___share___ %s

ID: 007025

LEVEL: INFORMATION MESSAGE: Diff file for %s:\n%s

ID: 007026

LEVEL: INFORMATION MESSAGE: Skipping diff file line:\n%s

ID: 007027

LEVEL: WARNING MESSAGE: Malformed diff file line:\n%s

ID: 007028

LEVEL: ERROR MESSAGE: Error processing diff file line:\n%s

ID: 007029

LEVEL: ERROR MESSAGE: Failed to remove property %s from ___share___ %s.

ID: 007030

LEVEL: CRITICAL MESSAGE: Failed to rename dataset from %s to %s.

ID: 007031

LEVEL: CRITICAL MESSAGE: A demote operation failed and changes to the system were not successfully reverted. The ___share___ named %s should have been renamed to %s. Please contact Nexsan support to resolve the issue.

ID: 007032

LEVEL: ERROR MESSAGE: A demote operation failed and changes to the system were not successfully reverted. The conflict difference file named %s should have been removed.

ID: 007033

LEVEL: CRITICAL MESSAGE: A demote operation failed and changes to the system were not successfully reverted. Please contact Nexsan support to resolve the issue.

ID: 007034

LEVEL: VERBOSE MESSAGE: %s

ID: 007035

LEVEL: ERROR MESSAGE: Unable to stop replication for pool: %s

ID: 007036

LEVEL: WARNING MESSAGE: Unmounting device: %s

ID: 007037

LEVEL: INFORMATION MESSAGE: Successfully updated role for: %s

ID: 007038

LEVEL: ERROR MESSAGE: Failed to write diff file to the ___share___.

ID: 007039

LEVEL: VERBOSE MESSAGE: Removing export task: %s

ID: 007040

LEVEL: VERBOSE MESSAGE: Removing import task: %s

ID: 007041

LEVEL: WARNING MESSAGE: NarsMonitor failed to scan all datasets for offline replication tasks.

ID: 007042

LEVEL: INFORMATION MESSAGE: Creating lock for device: %s

ID: 007043

LEVEL: VERBOSE MESSAGE: Added new dataset offline replication task into monitor thread: %s, destination dir: %s

ID: 007044

LEVEL: VERBOSE MESSAGE: Adding new dataset offline restore task into Monitor thread: %s, source dataset: %s

ID: 007045

LEVEL: INFORMATION MESSAGE: Scanning all datasets for ongoing Nars import and export tasks.

ID: 007046

LEVEL: ERROR MESSAGE: Can't find stream source or destination for dataset: %s.

ID: 007047

LEVEL: WARNING MESSAGE: Device is busy: %s.

ID: 007048

LEVEL: WARNING MESSAGE: Interrupted while creating lock for ongoing export/import task.

ID: 007049

LEVEL: VERBOSE MESSAGE: Unable to determine state of dataset: %s

ID: 007050

LEVEL: WARNING MESSAGE: Parsing error occurred while fetching the progress for: %s

ID: 007051

LEVEL: WARNING MESSAGE: %s

ID: 008001

LEVEL: WARNING MESSAGE: Failed to get the management information.

ID: 008002

LEVEL: WARNING MESSAGE: Failed to parse the error file.

ID: 008003

LEVEL: VERBOSE MESSAGE: Setting NICs result: %s

ID: 008004

LEVEL: ERROR MESSAGE: Failed to update network settings on peer.

ID: 008005

LEVEL: WARNING MESSAGE: Failed to set IPs.

ID: 009000

LEVEL: CRITICAL MESSAGE: Failed to get the DN for entry [%s]. The system login will not be successful.

ID: 009001

LEVEL: WARNING MESSAGE: Failed to get group list for user: %s

ID: 009002

LEVEL: WARNING MESSAGE: Failed to get group list for user: %s

ID: 009003

LEVEL: WARNING MESSAGE: Failed to cache credentials for user: %s. Cause: %s

ID: 009004

LEVEL: VERBOSE MESSAGE: Realm property - %s: %s

ID: 009005

LEVEL: VERBOSE MESSAGE: Getting group names for user: %s from realm: %s.

ID: 009006

LEVEL: INFORMATION MESSAGE: LDAP groups: %s

ID: 009007

LEVEL: WARNING MESSAGE: Failed to get groups for user: %s.

ID: 009008

LEVEL: VERBOSE MESSAGE: Pool: %s is not in site configuration.

ID: 009009

LEVEL: VERBOSE MESSAGE: User %s is in pool %s.

ID: 009010

LEVEL: WARNING MESSAGE: Cannot get groups from native realm.

ID: 009011

LEVEL: VERBOSE MESSAGE: Group %s is allowed to access pool %s.

ID: 009012

LEVEL: VERBOSE MESSAGE: User is neither in an allowed group or in the user access list for pool %s.

ID: 009013

LEVEL: WARNING MESSAGE: No such user in native realm.

ID: 009014

LEVEL: WARNING MESSAGE: Cannot get groups from site configuration.

ID: 009015

LEVEL: VERBOSE MESSAGE: User %s is in role %s

ID: 009016

LEVEL: VERBOSE MESSAGE: Group %s has security role %s

ID: 009017

LEVEL: VERBOSE MESSAGE: User %s is in LDAP/local groups:%s

ID: 009018

LEVEL: VERBOSE MESSAGE: User %s is in super user group.

ID: 009019

LEVEL: VERBOSE MESSAGE: User %s is in site admin group.

ID: 009020

LEVEL: VERBOSE MESSAGE: Current realm is: %s

ID: 009021

LEVEL: VERBOSE MESSAGE: Authentication success for user: %s

ID: 009022

LEVEL: WARNING MESSAGE: Failed to cache credentials for user: %s. Cause: %s

ID: 009023

LEVEL: WARNING MESSAGE: Unable to authenticate user: %s

ID: 009024

LEVEL: WARNING MESSAGE: Failed to check if user %s is in system.

ID: 009025

LEVEL: VERBOSE MESSAGE: Initialized SolarisRoleMappingRealm.

ID: 010001

LEVEL: WARNING MESSAGE: Failed to enumerate SAS cards.

ID: 010002

LEVEL: WARNING MESSAGE: Failed to enumerate FC cards.

ID: 010003

LEVEL: WARNING MESSAGE: Unknown device type: %s

ID: 011001

LEVEL: ERROR MESSAGE: Configure cache device failed.

ID: 011002

LEVEL: ERROR MESSAGE: Enforce pool cache devices failed.

ID: 011003

LEVEL: WARNING MESSAGE: Unable to load cache devices file. This file will be repaired automatically.

ID: 011004

LEVEL: ERROR MESSAGE: Unable to get Cache Device utilization for pool: %s

ID: 011005

LEVEL: VERBOSE MESSAGE: Get local cache devices failed.

ID: 011006

LEVEL: CRITICAL MESSAGE: Removing cache devices from a deleted pool failed.

ID: 011007

LEVEL: VERBOSE MESSAGE: Saving cache devices: %s

ID: 011008

LEVEL: WARNING MESSAGE: Failed to find chassis: %s

ID: 011009

LEVEL: WARNING MESSAGE: Front bay is missing drives for device: %s. Required: %s, available: %s.

ID: 011010

LEVEL: WARNING MESSAGE: Failed to get spare list: not enough free devices. Available: %s, required: %s.

ID: 011011

LEVEL: WARNING MESSAGE: Pools contain more spares (%s) than the group config spare count (%s).

ID: 011012

LEVEL: VERBOSE MESSAGE: Chassis has no saved layout: %s

ID: 011013

LEVEL: WARNING MESSAGE: Failed to update drive layout in config.

ID: 011014

LEVEL: CRITICAL MESSAGE: The %s in slot %s %s of storage device %s has failed or is missing.

ID: 011015

LEVEL: INFORMATION MESSAGE: Drive in bay %s of device %s has been moved to bay %s

ID: 011016

LEVEL: INFORMATION MESSAGE: A new drive has been inserted in bay %s of device %s

ID: 011017

LEVEL: WARNING MESSAGE: Failed to refresh list of attached storage devices. System might not be able to see the new configuration.

ID: 011018

LEVEL: WARNING MESSAGE: Pool Split: Failed to notify ZilManager.

ID: 011019

LEVEL: WARNING MESSAGE: Failed to validate FC port info files.

ID: 011020

LEVEL: WARNING MESSAGE: Failed to clear asynchronous task for offline storage device.

ID: 011021

LEVEL: ERROR MESSAGE: Failed to import pools that were exported following storage shutdown failure.

ID: 011022

LEVEL: ERROR MESSAGE: Can't clear storage shutdown/reboot tasks that are in progress.

ID: 011023

LEVEL: WARNING MESSAGE: Failed to set JBOD default config.

ID: 011024

LEVEL: INFORMATION MESSAGE: Failed to authenticate to external storage device using nxadmin password.

ID: 011025

LEVEL: INFORMATION MESSAGE: Failed to authenticate to external storage device using provided password.

ID: 011026

LEVEL: INFORMATION MESSAGE: Failed to authenticate to external storage device using default password.

ID: 011027

LEVEL: INFORMATION MESSAGE: Failed to authenticate to external storage device using no password.

ID: 011028

LEVEL: INFORMATION MESSAGE: Failed to authenticate to external storage device.

ID: 011029

LEVEL: VERBOSE MESSAGE: Creating group [%s//%s] with [%s] disks, on:

ID: 011030

LEVEL: INFORMATION MESSAGE: Failed to destroy a group during the cleanup process.

ID: 011031

LEVEL: VERBOSE MESSAGE: Adding storage layout: %s to existing layout: %s

ID: 011032

LEVEL: WARNING MESSAGE: Failed to delete group set.

ID: 011035

LEVEL: VERBOSE MESSAGE: Connected to [%s]

ID: 011036

LEVEL: WARNING MESSAGE: Failed to access the storage device while doing the storage discovery

ID: 011037

LEVEL: WARNING MESSAGE: %s

ID: 011038

LEVEL: VERBOSE MESSAGE: Creating storage device: %s

ID: 011039

LEVEL: VERBOSE MESSAGE: Storage device: %s authenticated.

ID: 011040

LEVEL: VERBOSE MESSAGE: No IP storage device: %s

ID: 011041

LEVEL: ERROR MESSAGE: Device [%s] is inaccessible.

ID: 011042

LEVEL: ERROR MESSAGE: The password for the E-Centre Administrator (nxadmin) account currently configured on this system contains invalid characters that are no longer supported. As a result, E-Centre is unable to synchronize the administrator password on any Nexsan Storage System(s) (Nexsan E18/E18X, E48/E48X, and E60/E60X) connected externally to this system with the nxadmin account's password.\n\nIf you want the administrator password (s) on all externally-connected Nexsan Storage Systems to be synchronized with the nxadmin account's password, you must change the nxadmin password.

ID: 011043

LEVEL: WARNING MESSAGE: Failed to offline %s

ID: 011044

LEVEL: WARNING MESSAGE: Failed to offline on peer %s

ID: 011045

LEVEL: INFORMATION MESSAGE: Done offline %s

ID: 011046

LEVEL: WARNING MESSAGE: Unable to set network properties for storage device using NMP: %s

ID: 011047

LEVEL: VERBOSE MESSAGE: Failed to remove superfluous spares.

ID: 011048

LEVEL: ERROR MESSAGE: Failed to change the administrator password [0x%s].

ID: 011049

LEVEL: ERROR MESSAGE: Failed to revert password for storage ID [%s]

ID: 011050

LEVEL: ERROR MESSAGE: Failed to get password to revert to for external storage devices.

ID: 011051

LEVEL: WARNING MESSAGE: Some volumes were not visible from the OS after having been created.

ID: 011052

LEVEL: WARNING MESSAGE: Not enough free disks (%s) to apply internal storage layout: %s

ID: 011053

LEVEL: WARNING MESSAGE: Chassis not found for VLUN: %s

ID: 011054

LEVEL: WARNING MESSAGE: Spare is shared by multiple pools: %s

ID: 011056

LEVEL: WARNING MESSAGE: Error while enumerating chassis collection (Occurrence: %s).

ID: 011057

LEVEL: WARNING MESSAGE: Occurrence: (%s)
Reverting to cached SAS chassis collection.

ID: 011058

LEVEL: VERBOSE MESSAGE: Failed to find bay for
device(s): %s

ID: 011059

LEVEL: VERBOSE MESSAGE: /{Device: %s, index:
%s, os bay: %s/}

ID: 011060

LEVEL: VERBOSE MESSAGE: Failed to find bay for
device: %s. Chassis: %s

ID: 011061

LEVEL: CRITICAL MESSAGE: Failed to obtain
internal storage front bay mapping.

ID: 011062

LEVEL: CRITICAL MESSAGE: An inconsistency
has been detected in the pools configuration. Storage
pools %s and %s are currently using a common drive.

ID: 011063

LEVEL: CRITICAL MESSAGE: A spare drive from
pool %s will be removed because it was used in pool
%s

ID: 011064

LEVEL: CRITICAL MESSAGE: Spare drives from
pool %s will be refreshed following pool
reconfiguration.

ID: 011065

LEVEL: CRITICAL MESSAGE: The location of
faulted spare %s could not be determined.

ID: 011066

LEVEL: WARNING MESSAGE: Failed to load mirror
device list.

ID: 011067

LEVEL: CRITICAL MESSAGE: Unable to retrieve
local sensors data for chassis: %s

ID: 011068

LEVEL: CRITICAL MESSAGE: Unable to retrieve
peer sensors data for chassis: %s

ID: 011069

LEVEL: WARNING MESSAGE: An error occurred
while validating that all spares are assigned to storage
pools

ID: 011070

LEVEL: ERROR MESSAGE: The system failed to
load failed drives serials.

ID: 011071

LEVEL: ERROR MESSAGE: The system failed to
save failed drives serials:\n%s

ID: 012001

LEVEL: VERBOSE MESSAGE: Glassfish admin port
for this domain: %s

ID: 012002

LEVEL: VERBOSE MESSAGE: Failed to get user for
the ACE entry: %s

ID: 012003

LEVEL: WARNING MESSAGE: Failed to match the
active directory user to the ACE [\"%s\"]

ID: 012004

LEVEL: VERBOSE MESSAGE: ACL on %s : %s

ID: 012005

LEVEL: WARNING MESSAGE: User %s with ID %s
not found.

ID: 012006

LEVEL: WARNING MESSAGE: User %s with ID %s
not found. Returning closest match: %s

ID: 012007

LEVEL: VERBOSE MESSAGE: Simple ACL on %s :
%s

ID: 012008

LEVEL: VERBOSE MESSAGE: Trivial ACL on %s : %s

ID: 012009

LEVEL: VERBOSE MESSAGE: Merging trivial ACL: %s, with : %s

ID: 012010

LEVEL: VERBOSE MESSAGE: Error setting LU properties.

ID: 012011

LEVEL: WARNING MESSAGE: Failed to get the link status for nx0: %s

ID: 012012

LEVEL: CRITICAL MESSAGE: Error moving service %s

ID: 012013

LEVEL: WARNING MESSAGE: Node name \"%s\" doesn't match expected pattern.

ID: 012014

LEVEL: WARNING MESSAGE: Node inaccessible over private network %s

ID: 012015

LEVEL: WARNING MESSAGE: Could not determine if %s is local. System reports: %s

ID: 012016

LEVEL: CRITICAL MESSAGE: The cluster license is expired\n1) Contact Nexsan Technical support to buy or extend the cluster license.\n2) Open the E-Centre Software Updater and check for updates.\n3) Update the cluster License.

ID: 012017

LEVEL: WARNING MESSAGE: The cluster license is expiring soon\n1) Contact Nexsan Technical support to buy or extend the cluster license.\n2) Open the E-Centre Software Updater and check for updates.\n3) Update the cluster License.

ID: 012018

LEVEL: CRITICAL MESSAGE: Node %s is down.

ID: 012019

LEVEL: WARNING MESSAGE: Node %s is currently down due to user-initiated shutdown/reboot.

ID: 012020

LEVEL: INFORMATION MESSAGE: Node %s has returned to normal operation.

ID: 012021

LEVEL: WARNING MESSAGE: Failed to check disk heartbeat health.

ID: 012022

LEVEL: INFORMATION MESSAGE: Cluster has failed over.

ID: 012023

LEVEL: WARNING MESSAGE: Failed to mark the site as fully configured in the nest.config.xml files.

ID: 012024

LEVEL: VERBOSE MESSAGE: Could not contact remote node in the cluster: %s

ID: 012025

LEVEL: VERBOSE MESSAGE: Failed to remove remote cache files for pool: %s

ID: 012026

LEVEL: VERBOSE MESSAGE: %s

ID: 012027

LEVEL: CRITICAL MESSAGE: Error starting service %s

ID: 012028

LEVEL: CRITICAL MESSAGE: Error stopping service %s

ID: 012029

LEVEL: ERROR MESSAGE: Failed to set cluster IP.

ID: 012030

LEVEL: WARNING MESSAGE: Unable to delete scheduled snapshots for dataset: %s

ID: 012031

LEVEL: ERROR MESSAGE: Error destroying dataset: %s

ID: 012032

LEVEL: INFORMATION MESSAGE: Taking snapshot of %s to %s

ID: 012033

LEVEL: INFORMATION MESSAGE: Setting clone-in-use flag for dataset %s

ID: 012034

LEVEL: INFORMATION MESSAGE: Cloning (read-only) %s to %s

ID: 012035

LEVEL: INFORMATION MESSAGE: Sharing NFS %s

ID: 012036

LEVEL: INFORMATION MESSAGE: Sharing CIFS %s as %s

ID: 012037

LEVEL: INFORMATION MESSAGE: Shared clone snapshot source: %s

ID: 012038

LEVEL: INFORMATION MESSAGE: Shared clone pool source: %s

ID: 012039

LEVEL: INFORMATION MESSAGE: Unsharing %s for %s

ID: 012040

LEVEL: INFORMATION MESSAGE: Destroying shared clone %s

ID: 012041

LEVEL: INFORMATION MESSAGE: Destroying shared clone snapshot %s

ID: 012042

LEVEL: WARNING MESSAGE: Could not unshare clone %s before destroying.

ID: 012043

LEVEL: ERROR MESSAGE: Failed to resume scheduled jobs.

ID: 012044

LEVEL: WARNING MESSAGE: Failed to invalidate the system manager.

ID: 012045

LEVEL: ERROR MESSAGE: Couldn't fail over services.

ID: 012046

LEVEL: ERROR MESSAGE: Couldn't fail over services, timeout expired.

ID: 012047

LEVEL: WARNING MESSAGE: Failed to set default trivial ACL at file system creation on %s

ID: 012048

LEVEL: VERBOSE MESSAGE: Demoting file system %s

ID: 012049

LEVEL: VERBOSE MESSAGE: Checking if we need to do a preserve for dataset %s

ID: 012050

LEVEL: WARNING MESSAGE: Changes to the file system %s were detected during demotion operation. A difference file named \"`\"%s\`\" has been generated in the root of the `__share__` \"`\"%s\`\" to indicate changes.

ID: 012051

LEVEL: VERBOSE MESSAGE: Promoting file system %s

ID: 012052

LEVEL: VERBOSE MESSAGE: Filesystem: %s,
ACL: %s

ID: 012053

LEVEL: VERBOSE MESSAGE: File systems: %s

ID: 012054

LEVEL: VERBOSE MESSAGE: Removed
permissions for %s %s on filesystem: %s

ID: 012056

LEVEL: ERROR MESSAGE: Failed to call runjava.

ID: 012057

LEVEL: INFORMATION MESSAGE: Changed
password for user: %s

ID: 012058

LEVEL: WARNING MESSAGE: Unable to delete
temporary shadow file: %s

ID: 012059

LEVEL: VERBOSE MESSAGE: Clearing async task:
%s

ID: 012061

LEVEL: INFORMATION MESSAGE: LDAP client:
%s proxyDN: %s

ID: 012062

LEVEL: VERBOSE MESSAGE: Default search base:
%s

ID: 012063

LEVEL: VERBOSE MESSAGE: '%s' is already
configured for SMB.

ID: 012064

LEVEL: VERBOSE MESSAGE: Modified '%s' to
append line: %s

ID: 012065

LEVEL: VERBOSE MESSAGE: Getting async task
info for: %s

ID: 012066

LEVEL: VERBOSE MESSAGE: Reserved labels: %s

ID: 012067

LEVEL: VERBOSE MESSAGE: Reserved devices:
%s

ID: 012068

LEVEL: WARNING MESSAGE: Unable to locate
temporary shutdown marker file.

ID: 012069

LEVEL: VERBOSE MESSAGE: Reserved devices:
%s\nSystem devices: %sReserved labels: %s\n

ID: 012070

LEVEL: VERBOSE MESSAGE: Skipping device
[%s], drive type is unknown [%s]

ID: 012071

LEVEL: CRITICAL MESSAGE: Device capacity
cannot be determined, possibly because the device is
faulted or missing: %s

ID: 012072

LEVEL: VERBOSE MESSAGE: Storage devices
(%s): %s

ID: 012073

LEVEL: WARNING MESSAGE: Failed to report
virtual device: %s because its chassis was not found.

ID: 012074

LEVEL: VERBOSE MESSAGE: Virtual storage
devices: %s

ID: 012075

LEVEL: INFORMATION MESSAGE: Joining
windows domain: %s admin: %s

ID: 012076

LEVEL: INFORMATION MESSAGE:
joinDomain:updateDomainName

*ID: 012077*LEVEL: INFORMATION MESSAGE:
joinDomain:unconfigureLDAPClient*ID: 012078*LEVEL: INFORMATION MESSAGE:
joinDomain:configureKerberosClient*ID: 012079*LEVEL: INFORMATION MESSAGE:
joinDomain:enableService ServiceName.DNSClient*ID: 012080*LEVEL: INFORMATION MESSAGE:
joinDomain:getDomainControllers*ID: 012081*LEVEL: INFORMATION MESSAGE:
joinDomain:setKerberosPasswordServer*ID: 012082*LEVEL: INFORMATION MESSAGE:
joinDomain:enableService NameServiceCache*ID: 012083*LEVEL: INFORMATION MESSAGE:
joinDomain:getLDAPDomainControllers*ID: 012084*LEVEL: INFORMATION MESSAGE:
joinDomain:clearLdapClientFile*ID: 012085*LEVEL: INFORMATION MESSAGE:
joinDomain:copyFileNameServiceSwitchLDAP*ID: 012086*LEVEL: INFORMATION MESSAGE:
joinDomain:PosixRuntime LDAPClient*ID: 012087*LEVEL: INFORMATION MESSAGE:
joinDomain:PosixRuntime LDAPClient %s*ID: 012088*LEVEL: INFORMATION MESSAGE:
joinDomain:getKrbTicket*ID: 012089*LEVEL: INFORMATION MESSAGE:
joinDomain:enableService SMBServer*ID: 012090*LEVEL: INFORMATION MESSAGE:
joinDomain:ServiceConfig idmap*ID: 012091*LEVEL: INFORMATION MESSAGE:
joinDomain:refreshIDMAPCache*ID: 012092*LEVEL: INFORMATION MESSAGE:
joinDomain:smbJoinDomain*ID: 012093*LEVEL: INFORMATION MESSAGE:
joinDomain:setKerberosServers*ID: 012094*LEVEL: INFORMATION MESSAGE:
joinDomain:setSambaKeyServerToAll*ID: 012095*LEVEL: INFORMATION MESSAGE: Successfully
joined host to domain: %s*ID: 012096*LEVEL: INFORMATION MESSAGE:
leaveWindowsDomain was called with an empty
administrator account*ID: 012097*

LEVEL: VERBOSE MESSAGE: Local host: %s

*ID: 012098*LEVEL: WARNING MESSAGE: Failed to remove the
entries from AD.

ID: 012099

LEVEL: ERROR MESSAGE: Failed to leave the windows domain.

ID: 012100

LEVEL: WARNING MESSAGE: Failed to unconfigure ldap settings.

ID: 012101

LEVEL: WARNING MESSAGE: Failed to unconfigure kerberos config file.

ID: 012102

LEVEL: WARNING MESSAGE: Unable to create temporary shutdown marker.

ID: 012103

LEVEL: INFORMATION MESSAGE: Refreshing the IDMAP caching.

ID: 012104

LEVEL: VERBOSE MESSAGE: Did not refresh the IDMAP caching, feature not enabled.

ID: 012105

LEVEL: ERROR MESSAGE: Failed to reset password on the passive node.

ID: 012106

LEVEL: WARNING MESSAGE: Unable to reset IDMAP properties: %s

ID: 012107

LEVEL: WARNING MESSAGE: Unable to reset SMB properties: %s

ID: 012108

LEVEL: VERBOSE MESSAGE:
setKerberosAdminServer configFile=%s old configuration=\n%s

ID: 012109

LEVEL: VERBOSE MESSAGE:
setKerberosAdminServer new configuration=\n%s

ID: 012110

LEVEL: VERBOSE MESSAGE: setKerberosServers new configuration=\n%s

ID: 012111

LEVEL: VERBOSE MESSAGE: setKerberosServers configFile=%s old configuration=\n%s

ID: 012112

LEVEL: WARNING MESSAGE: Failed to sync system time with NTP servers: %s

ID: 012113

LEVEL: WARNING MESSAGE:
joinDomain:JoinDomain failed, retry in %s ms:%s

ID: 012114

LEVEL: INFORMATION MESSAGE: Stopping async task: %s

ID: 012115

LEVEL: WARNING MESSAGE: Failed to disable service: %s

ID: 012116

LEVEL: VERBOSE MESSAGE: Failed to get device information for: %s

Ignore this message if device is not connected via fibre or sas.

ID: 012117

LEVEL: INFORMATION MESSAGE:
joinDomain:setSmbProperties

ID: 012118

LEVEL: INFORMATION MESSAGE:
joinDomain:setSmbProperties failed

ID: 012119

LEVEL: INFORMATION MESSAGE:
joinDomain:refresh IDMAP Service

ID: 012120

LEVEL: INFORMATION MESSAGE:
joinDomain:refresh IDMAP Service Failed

ID: 012121

LEVEL: INFORMATION MESSAGE:
joinDomain:refresh SMB server service

ID: 012122

LEVEL: WARNING MESSAGE: joinDomain:refresh
SMB server service failed

ID: 012123

LEVEL: INFORMATION MESSAGE:
joinDomain:ServiceConfig idmap -> config/domain_
name

ID: 012124

LEVEL: INFORMATION MESSAGE:
joinDomain:ServiceConfig idmap -> config/domain_
name failed: %s

ID: 012125

LEVEL: INFORMATION MESSAGE:
joinDomain:ServiceConfig idmap -> config/global_
catalog

ID: 012126

LEVEL: WARNING MESSAGE:
joinDomain:ServiceConfig idmap -> config/global_
catalog fail

ID: 012127

LEVEL: INFORMATION MESSAGE:
joinDomain:ServiceConfig idmap -> config/domain_
controller

ID: 012128

LEVEL: WARNING MESSAGE:
joinDomain:ServiceConfig idmap -> config/domain_
controller fail

ID: 012129

LEVEL: VERBOSE MESSAGE: Glassfish domain
config file: %s

ID: 012130

LEVEL: VERBOSE MESSAGE: Glassfish admin
command: %s

ID: 012131

LEVEL: VERBOSE MESSAGE: Adding [%s] [%s]
[%s]

ID: 012132

LEVEL: WARNING MESSAGE: Failed kerberos
authentication.

ID: 012133

LEVEL: WARNING MESSAGE: Reverse DNS is not
configured for DC.

ID: 012134

LEVEL: VERBOSE MESSAGE: LDAP query
environment for [%s] %s

ID: 012135

LEVEL: WARNING MESSAGE: The system is
unable to get the distinguished name [%s] [%s].\nThis
is due to the way the external directory is configured.

ID: 012136

LEVEL: WARNING MESSAGE: Failed to find a valid
domain controller.

ID: 012137

LEVEL: VERBOSE MESSAGE:
validateLDAPSettings(%s, %s, %s)

ID: 012138

LEVEL: ERROR MESSAGE: Failed to validate LDAP
Settings

ID: 012139

LEVEL: INFORMATION MESSAGE: Validating
loginDN = %s failed.

ID: 012140

LEVEL: WARNING MESSAGE: Inconsistent state
during IP configuration change. Tried to delete IP
change task when it didn't exist.

ID: 012141

LEVEL: VERBOSE MESSAGE: %s

ID: 012142

LEVEL: WARNING MESSAGE: Failed to pause scheduled tasks.

ID: 012143

LEVEL: ERROR MESSAGE: Failed to set nsswitch file.

ID: 012144

LEVEL: WARNING MESSAGE: Failed to update name servers.

ID: 012145

LEVEL: WARNING MESSAGE:
joinDomain:ServiceConfig smb -> config/kpasswd_
server failed.

ID: 012146

LEVEL: WARNING MESSAGE: Failed to create dhcp interface.

ID: 012147

LEVEL: ERROR MESSAGE: Failed to create resolv.conf file.

ID: 012148

LEVEL: VERBOSE MESSAGE: %s

ID: 012149

LEVEL: INFORMATION MESSAGE: SMBJoin output: %s

ID: 012150

LEVEL: INFORMATION MESSAGE: Successfully joined CIFS service to windows domain: %s

ID: 012151

LEVEL: WARNING MESSAGE: Previous IP settings change has been running for more than %s minutes - aborting it.

ID: 012152

LEVEL: WARNING MESSAGE: Failed to perform reverse DNS lookup for name server %s

ID: 012153

LEVEL: WARNING MESSAGE: Failed to get domain name from name server(s).

ID: 012154

LEVEL: WARNING MESSAGE: %s

ID: 012155

LEVEL: WARNING MESSAGE: Failed to pause.

ID: 012156

LEVEL: WARNING MESSAGE: Failed to bring down interface.

ID: 012157

LEVEL: WARNING MESSAGE: Failed to change IP address.

ID: 012158

LEVEL: WARNING MESSAGE: Failed to bring up interface.

ID: 012159

LEVEL: WARNING MESSAGE: Set default routes.

ID: 012160

LEVEL: ERROR MESSAGE: Failed to update peers of IP change.

ID: 012161

LEVEL: WARNING MESSAGE: Failed to recalculate target portal groups.

ID: 012162

LEVEL: WARNING MESSAGE: Update role failed on pool.

ID: 012163

LEVEL: INFORMATION MESSAGE: Device %s is already a member of pool: %s

ID: 012164

LEVEL: CRITICAL MESSAGE: The system failed to add spares to pool: %s

ID: 012165

LEVEL: WARNING MESSAGE: Failed to reset quota on pool, filesystems will not grow: %s

ID: 012166

LEVEL: INFORMATION MESSAGE: %s

ID: 012167

LEVEL: WARNING MESSAGE: Forcing creation of pool with mismatched replication levels: %s

ID: 012168

LEVEL: WARNING MESSAGE: Pool %s is missing spare devices. This situation will be automatically resolved when spare devices from the storage devices are added back.

ID: 012169

LEVEL: WARNING MESSAGE: Failed to clean cache information for pool: %s

ID: 012170

LEVEL: WARNING MESSAGE: Unable to delete scheduled poolScrub for pool: %s

ID: 012171

LEVEL: ERROR MESSAGE: Unable to delete scheduled async replication.

ID: 012172

LEVEL: ERROR MESSAGE: Unable to delete Nvram Cache Devices from pool %s

ID: 012173

LEVEL: ERROR MESSAGE: Unable to delete scheduled %s for pool %s

ID: 012174

LEVEL: WARNING MESSAGE: Failed to process scheduled jobs for pool: %s

ID: 012176

LEVEL: WARNING MESSAGE: Unable to delete pool mount point %s

ID: 012177

LEVEL: ERROR MESSAGE: Failed to destroy remote replica for pool %s

ID: 012178

LEVEL: INFORMATION MESSAGE: %s free drive(s) were assigned as spares for pool %s

ID: 012179

LEVEL: WARNING MESSAGE: The system failed to update the spare list for pool %s

ID: 012180

LEVEL: WARNING MESSAGE: An issue was encountered while validating spares configuration. The system will retry later.

ID: 012181

LEVEL: INFORMATION MESSAGE: An inconsistency was detected in the virtual volume mapping configuration file for pool %s. The system has automatically repaired the issue.

ID: 012182

LEVEL: CRITICAL MESSAGE: Failed to parse zpool status output:\n%s

ID: 012183

LEVEL: WARNING MESSAGE: Cannot find property for %s, default will be used: /pools

ID: 012184

LEVEL: CRITICAL MESSAGE: Failed to get display name for pool: %s

ID: 012185

LEVEL: ERROR MESSAGE: Pool %s has uneven mirror count: %s

ID: 012186

LEVEL: WARNING MESSAGE: Mismatched pool groups. Pool: %s has %s VLUNs and %s groups.

ID: 012187

LEVEL: ERROR MESSAGE: Unable to determine the virtual lun for chassis %s

ID: 012188

LEVEL: ERROR MESSAGE: Uncaught exception in getVirtualizedPoolVolumes: %s

ID: 012189

LEVEL: ERROR MESSAGE: The system failed to import pool %s. It will retry automatically in %s seconds.

ID: 012190

LEVEL: ERROR MESSAGE: Failed to import pool %s

ID: 012191

LEVEL: ERROR MESSAGE: Setting status to repaired failed at %s

ID: 012193

LEVEL: INFORMATION MESSAGE: Failed to contact ZillManager when creating pool %s

ID: 012194

LEVEL: CRITICAL MESSAGE: Failed to initialize the pool properties. The pool will be deleted. Error: %s

ID: 012195

LEVEL: ERROR MESSAGE: Unable to complete undo failed pool creation.

ID: 012196

LEVEL: ERROR MESSAGE: There was an error in removing the pool from the cluster: %s

ID: 012197

LEVEL: WARNING MESSAGE: Device %s in unknown state: %s

ID: 012198

LEVEL: INFORMATION MESSAGE: Failed to get max space to reserve for a pool. Default will be used: %s

ID: 012199

LEVEL: INFORMATION MESSAGE: Failed to get max percentage to reserve for a pool. Default will be used: %s

ID: 012200

LEVEL: INFORMATION MESSAGE: %s is larger than 50%%, default of 1%% will be used.

ID: 012201

LEVEL: WARNING MESSAGE: Getting the list of removable devices on the remote node failed. Error:%s

ID: 012202

LEVEL: VERBOSE MESSAGE: List of removable devices: %s

ID: 012203

LEVEL: VERBOSE MESSAGE: Failed to get %s usage level.

ID: 012204

LEVEL: VERBOSE MESSAGE: Failed to get pool capacity.

ID: 012205

LEVEL: VERBOSE MESSAGE: UID is already specified and will not be generated for pool %s

ID: 012206

LEVEL: VERBOSE MESSAGE: Checking the health of the CIFS server.

ID: 012207

LEVEL: CRITICAL MESSAGE: The system has detected that the CIFS server is not responding. The service was automatically restarted, but the problem persists.

ID: 012208

LEVEL: WARNING MESSAGE: The CIFS server has been automatically restarted because it was not responding.

ID: 012209

LEVEL: CRITICAL MESSAGE: The system has detected that the CIFS server is not responding. An attempt was made to restart the service, but it failed.

ID: 012210

LEVEL: WARNING MESSAGE: Failed to get remote ssh key.

ID: 012211

LEVEL: WARNING MESSAGE: Failed to set remote ssh key.

ID: 012212

LEVEL: WARNING MESSAGE: Failed to get remote client public certificate.

ID: 012213

LEVEL: WARNING MESSAGE: Failed to set remote client public certificate.

ID: 012214

LEVEL: WARNING MESSAGE: Failed to get remote site configuration.

ID: 012215

LEVEL: WARNING MESSAGE: Failed to decrypt password for user: %s.

ID: 012216

LEVEL: VERBOSE MESSAGE: Removed remote site information. Serial: %s.

ID: 012217

LEVEL: INFORMATION MESSAGE: Could not send IP change to %s. Will retry.

ID: 012218

LEVEL: CRITICAL MESSAGE: Failed to send IP change to %s

ID: 012219

LEVEL: ERROR MESSAGE: Failed to send VSS change to %s

ID: 012220

LEVEL: ERROR MESSAGE: Failed to add pool to site: %s, pool already exists.

ID: 012221

LEVEL: ERROR MESSAGE: Failed to add pool to site: %s

ID: 012222

LEVEL: ERROR MESSAGE: Failed to add storage devices to site %s

ID: 012223

LEVEL: WARNING MESSAGE: Unable to delete cache devices file: %s

ID: 012224

LEVEL: ERROR MESSAGE: Failed to finish the site configuration.

ID: 012225

LEVEL: ERROR MESSAGE: Failed to modify site.

ID: 012226

LEVEL: ERROR MESSAGE: Failed to remove pool from site: %s

ID: 012227

LEVEL: ERROR MESSAGE: Failed to set storage device friendly names.

ID: 012228

LEVEL: ERROR MESSAGE: Failed to remove storage devices from site: %s

ID: 012229

LEVEL: ERROR MESSAGE: Nexsan storage device id: %s has a LUN part of a pool

ID: 012230

LEVEL: ERROR MESSAGE: Failed to add local group. The GID is reserved or already in use:

ID: 012231

LEVEL: INFORMATION MESSAGE: Added local group: %s

ID: 012232

LEVEL: ERROR MESSAGE: Failed to add local group: %s

ID: 012233

LEVEL: WARNING MESSAGE: Failed to add local user. The UID is reserved or already in use: %s

ID: 012234

LEVEL: INFORMATION MESSAGE: Added local user: %s

ID: 012235

LEVEL: WARNING MESSAGE: Failed to add local user: %s

ID: 012236

LEVEL: WARNING MESSAGE: Failed to get next id.

ID: 012237

LEVEL: INFORMATION MESSAGE: Deleted local group: %s

ID: 012238

LEVEL: WARNING MESSAGE: Failed to delete user in smbpasswd: %s

ID: 012239

LEVEL: INFORMATION MESSAGE: Deleted local user: %s

ID: 012240

LEVEL: WARNING MESSAGE: Failed to delete \"%s\": %s

ID: 012241

LEVEL: VERBOSE MESSAGE: Got group list: %s

ID: 012242

LEVEL: WARNING MESSAGE: Failed to get group list.

ID: 012243

LEVEL: WARNING MESSAGE: Failed to get group list for user: %s

ID: 012244

LEVEL: VERBOSE MESSAGE: Got user list: %s

ID: 012245

LEVEL: WARNING MESSAGE: Failed to get user list.

ID: 012246

LEVEL: WARNING MESSAGE: Failed to get user list for group: %s

ID: 012247

LEVEL: INFORMATION MESSAGE: Modified group list for local user: %s

ID: 012248

LEVEL: WARNING MESSAGE: Failed to set group list for user: %s

ID: 012249

LEVEL: INFORMATION MESSAGE: Modified user list for local group: %s

ID: 012250

LEVEL: WARNING MESSAGE: Failed to set user list for group: %s

ID: 012251

LEVEL: VERBOSE MESSAGE: Merged local users file with configuration from site: %s

ID: 012252

LEVEL: VERBOSE MESSAGE: Merged local user shadow file with configuration from site: %s

ID: 012253

LEVEL: VERBOSE MESSAGE: Merged local user group file with configuration from site: %s

ID: 012254

LEVEL: VERBOSE MESSAGE: Replacing local smb password file with configuration from site: %s

ID: 012255

LEVEL: VERBOSE MESSAGE: Replacing local smb password file with configuration from local site.

ID: 012256

LEVEL: ERROR MESSAGE: Failed to failover users from site: %s

ID: 012257

LEVEL: VERBOSE MESSAGE: Replacing local users file with configuration from local site

ID: 012258

LEVEL: VERBOSE MESSAGE: Replacing local user shadow file with configuration from local site

ID: 012259

LEVEL: VERBOSE MESSAGE: Replacing local user group file with configuration from local site

ID: 012260

LEVEL: WARNING MESSAGE: Failed restore users from local site

ID: 012261

LEVEL: WARNING MESSAGE: Error calling license webservice for release notes.

ID: 012262

LEVEL: WARNING MESSAGE: Cannot find any available licenses for this customer.

ID: 012263

LEVEL: WARNING MESSAGE: %s

ID: 012264

LEVEL: WARNING MESSAGE: Failed to release DHCP.

ID: 012265

LEVEL: WARNING MESSAGE: Failed to load the ___share___ FTP info: %s

ID: 012266

LEVEL: WARNING MESSAGE: Failed to remove the ___share___ from the FTP config: %s

ID: 012267

LEVEL: WARNING MESSAGE: Error during the get policy settings operation.

ID: 012268

LEVEL: WARNING MESSAGE: Error during the merge policy settings operation.

ID: 012269

LEVEL: WARNING MESSAGE: Error during the overwrite policy settings operation.

ID: 012270

LEVEL: ERROR MESSAGE: Failed to shutdown controller %s

ID: 012271

LEVEL: ERROR MESSAGE: Failed to reboot controller %s

ID: 012272

LEVEL: ERROR MESSAGE: Failed to unsubscribe from replicated folder(s) during dataset delete operation.

ID: 012273

LEVEL: ERROR MESSAGE: We are unable to apply CIFS permissions to the newly shared replication conflict file system.

ID: 012274

LEVEL: ERROR MESSAGE: We were unable to apply copy permissions from share named %s to %s.

ID: 012275

LEVEL: ERROR MESSAGE: Failed to get the status of the replicated folder.

ID: 012276

LEVEL: ERROR MESSAGE: Unable to authenticate with status: %s.

ID: 012277

LEVEL: ERROR MESSAGE: Unable to determine which services are in maintenance on %s controller.

ID: 012277

LEVEL: ERROR MESSAGE: Failed to disable the space monitoring thresholds on %s.

ID: 013001

LEVEL: WARNING MESSAGE: Failed to get poolDevices from peer for %s

ID: 013002

LEVEL: WARNING MESSAGE: Error backing up NarsAuthorizedSSHKey files.

ID: 013003

LEVEL: VERBOSE MESSAGE: Invoking: datasetAsyncReplicationSetPoolPeers for pool: %s, on: %s, peers: %s

ID: 013004

LEVEL: WARNING MESSAGE: Failed to set remote pool peers

ID: 013005

LEVEL: VERBOSE MESSAGE: Invoking: datasetAsyncReplicationSetPoolPrimary for pool: %s, on: %s, peers: %s

ID: 013006

LEVEL: WARNING MESSAGE: Failed to set remote pool primary site.

ID: 013007

LEVEL: WARNING MESSAGE: Error backing up local user files (process interrupted).

ID: 014001

LEVEL: ERROR MESSAGE: Failed to rollback snapshot.

ID: 015001

LEVEL: ERROR MESSAGE: Large QuickAccess path: %s

ID: 015002

LEVEL: WARNING MESSAGE: QuickAccess Item not updated: %s

ID: 015003

LEVEL: WARNING MESSAGE: QuickAccess Item not deleted for update: %s

ID: 015004

LEVEL: WARNING MESSAGE: Failed to load quick access collection.

ID: 016001

LEVEL: INFORMATION MESSAGE: Failed to get peer version.

ID: 016002

LEVEL: INFORMATION MESSAGE: Failed to get the features information for cluster.

ID: 016003

LEVEL: ERROR MESSAGE: Failed to load %s with id %s. Stub %s loaded.

ID: 016004

LEVEL: INFORMATION MESSAGE: The Chassis inter-connect HBA cable %s has been reconnected.

ID: 016005

LEVEL: WARNING MESSAGE: %s

ID: 016006

LEVEL: WARNING MESSAGE: %s

ID: 016007

LEVEL: INFORMATION MESSAGE: The status of the Chassis inter-connect HBA is available.

ID: 016008

LEVEL: INFORMATION MESSAGE: The status of the Chassis inter-connect HBA is not available.

ID: 016009

LEVEL: INFORMATION MESSAGE: Unable to get the FASTier write cache info from site.

ID: 016010

LEVEL: WARNING MESSAGE: Failed to get autoDeleteReminderPeriod, reminders will not be issued.

ID: 016011

LEVEL: WARNING MESSAGE: %s

ID: 016012

LEVEL: CRITICAL MESSAGE: Failed to discover devices.

ID: 016013

LEVEL: ERROR MESSAGE: Failed to load APAL settings.

ID: 016014

LEVEL: WARNING MESSAGE: Failed to load model configuration: %s

ID: 016015

LEVEL: WARNING MESSAGE: Failed to get the NFS map id domain: %s

ID: 016016

LEVEL: WARNING MESSAGE: Failed to update FASTier write cache information: %s

ID: 016017

LEVEL: WARNING MESSAGE: Failed to load properties of pool %s

ID: 016018

LEVEL: WARNING MESSAGE: Failed to get the time server: %s

ID: 016019

LEVEL: WARNING MESSAGE: Failed to update the multipath information: %s

ID: 016020

LEVEL: INFORMATION MESSAGE: The following fibre channel port is now online: %s on controller %s

ID: 016021

LEVEL: WARNING MESSAGE: The following fibre channel port is now offline: %s on controller %s

ID: 016022

LEVEL: ERROR MESSAGE: The following fibre channel port is now in an unknown state: %s on controller %s

ID: 016023

LEVEL: INFORMATION MESSAGE: A fibre channel client (WWN: %s) has been connected to %s on controller %s.

ID: 016024

LEVEL: WARNING MESSAGE: A fibre channel client (WWN: %s) has been disconnected from %s on controller %s.

ID: 016025

LEVEL: INFORMATION MESSAGE: The following fibre channel target port is now available: %s on controller %s

ID: 016026

LEVEL: ERROR MESSAGE: The following fibre channel target port is now unavailable: %s on controller %s

ID: 016027

LEVEL: CRITICAL MESSAGE: Failed to transfer persistent properties on cache refresh.

ID: 016028

LEVEL: WARNING MESSAGE: Failed to update the devices sensors information: %s

ID: 016029

LEVEL: WARNING MESSAGE: Failed to get the fibre channel target information on the passive node: %s

ID: 016030

LEVEL: WARNING MESSAGE: Failed to update the fibre channel target information: %s

ID: 016031

LEVEL: WARNING MESSAGE: Failed to update the network information: %s

ID: 016032

LEVEL: WARNING MESSAGE: Failed to update the Chassis inter-connect information: %s

ID: 016033

LEVEL: WARNING MESSAGE: Failed to update the NST Vault Protection Module information: %s

ID: 016034

LEVEL: INFORMATION MESSAGE: The status for %s has become available.

ID: 016035

LEVEL: INFORMATION MESSAGE: %s has been reconnected.

ID: 016036

LEVEL: WARNING MESSAGE: %s is not connected.

ID: 016037

LEVEL: INFORMATION MESSAGE: %s is properly powered.

ID: 016038

LEVEL: WARNING MESSAGE: %s is not powered.

ID: 016039

LEVEL: WARNING MESSAGE: %s is unavailable.

ID: 016040

LEVEL: WARNING MESSAGE: The combined battery level for both NST Vault Protection Modules has dropped to an unacceptable level.

ID: 016041

LEVEL: INFORMATION MESSAGE: The combined battery level for both NST Vault Protection Modules has returned to an acceptable level.

ID: 016042

LEVEL: INFORMATION MESSAGE: %s

ID: 016043

LEVEL: WARNING MESSAGE: %s

ID: 016044

LEVEL: ERROR MESSAGE: %s

ID: 016045

LEVEL: CRITICAL MESSAGE: The storage system %s is either not connected or is malfunctioning.

ID: 016046

LEVEL: INFORMATION MESSAGE: %s

ID: 016047

LEVEL: WARNING MESSAGE: %s

ID: 016048

LEVEL: CRITICAL MESSAGE: %s

ID: 016049

LEVEL: INFORMATION MESSAGE: %s

ID: 016050

LEVEL: WARNING MESSAGE: %s

ID: 016051

LEVEL: ERROR MESSAGE: %s

ID: 016052

LEVEL: WARNING MESSAGE: Failed to update the Nvdimmm information: %s

ID: 016053

LEVEL: INFORMATION MESSAGE: The attached Nexsan Storage System %s is no longer connected due to manual shut down.

ID: 016054

LEVEL: WARNING MESSAGE: Failed to load offlined storage list.

ID: 016055

LEVEL: ERROR MESSAGE: Failed to refresh site problem list for %s.

ID: 017001

LEVEL: ERROR MESSAGE: %s

ID: 018001

LEVEL: WARNING MESSAGE: Failed to get sub system (%s) information: %s

ID: 019001

LEVEL: ERROR MESSAGE: Error occurred while gathering CIFS share data: %s

ID: 019002

LEVEL: WARNING MESSAGE: Failed to get the pools/___share___ information from NxSystemManager: %s

ID: 019003

LEVEL: ERROR MESSAGE: Error reading from the error stream.

ID: 019004

LEVEL: ERROR MESSAGE: Failed to relaunch the IOAccessor to capture new pools information.

ID: 019005

LEVEL: ERROR MESSAGE: Error refreshing the site information from the cache.

ID: 019006

LEVEL: ERROR MESSAGE: Failed to get the display names from NxSystemManager.

ID: 019007

LEVEL: ERROR MESSAGE: Error occurred while gathering lun ops data.

ID: 019008

LEVEL: ERROR MESSAGE: Failed to gather system information from kstat.

ID: 019009

LEVEL: ERROR MESSAGE: Error occurred while gathering L2ARC data.

ID: 019010

LEVEL: ERROR MESSAGE: Error occurred while gathering lun throughput data.

ID: 020001

LEVEL: ERROR MESSAGE: Failed to clean performance monitor data.

ID: 020002

LEVEL: CRITICAL MESSAGE: Failed to save performance monitor data to disk.

ID: 020003

LEVEL: CRITICAL MESSAGE: Failed to save performance monitor stub data to disk.

ID: 020004

LEVEL: VERBOSE MESSAGE: Shared file daemon shutting down.

ID: 020005

LEVEL: ERROR MESSAGE: Error initializing the performance monitor.

ID: 020006

LEVEL: WARNING MESSAGE: Unknown exception with no description in the performance monitor service: %s

ID: 020007

LEVEL: WARNING MESSAGE: Failed to delete recording %s

ID: 020008

LEVEL: ERROR MESSAGE: Failed to clean performance stub data.

ID: 021001

LEVEL: ERROR MESSAGE: Error reading metrics data from file.

ID: 021002

LEVEL: ERROR MESSAGE: Recording loop error.

ID: 022001

LEVEL: VERBOSE MESSAGE: Watch event %s ignored for file %s

ID: 022002

LEVEL: WARNING MESSAGE: Overflow event received.

ID: 022003

LEVEL: WARNING MESSAGE: Unexpected exception in file watcher pooler thread.

ID: 022004

LEVEL: WARNING MESSAGE: Failed to enumerate folder content while registering shared folder for events.

ID: 022005

LEVEL: WARNING MESSAGE: Failed to initialize file system watch service.

ID: 022006

LEVEL: WARNING MESSAGE: Unable to change ownership of shared resource directory: %s

ID: 022007

LEVEL: WARNING MESSAGE: Unable to get hash.

ID: 022008

LEVEL: WARNING MESSAGE: Failed to delete backup file %s from peer.

ID: 022009

LEVEL: WARNING MESSAGE: Failed to get file hash, result doesn't match pattern: %s

ID: 022010

LEVEL: WARNING MESSAGE: Failed to process deleted event.

ID: 022011

LEVEL: WARNING MESSAGE: Failed to process modified event.

ID: 022012

LEVEL: VERBOSE MESSAGE: Modified event ignored %s %s %s %s %s

ID: 022013

LEVEL: VERBOSE MESSAGE: Watch event dropped: %s %s %s

ID: 022014

LEVEL: WARNING MESSAGE: Unable to get time difference between controllers.

ID: 022015

LEVEL: WARNING MESSAGE: Failed to check conflict state for file %s

ID: 022016

LEVEL: VERBOSE MESSAGE: Synched file %s from %s to %s

ID: 022017

LEVEL: VERBOSE MESSAGE: Failed to copy file %s to %s node while doing a sync.

ID: 022018

LEVEL: VERBOSE MESSAGE: Failed to delete file %s from %s node while doing a sync.

ID: 022019

LEVEL: VERBOSE MESSAGE: Failed to update file: %s

ID: 022020

LEVEL: VERBOSE MESSAGE: Failed to write file: %s

ID: 022022

LEVEL: VERBOSE MESSAGE: Shared file daemon shutting down.

ID: 022023

LEVEL: WARNING MESSAGE: Unable to get local list of files.

ID: 022024

LEVEL: WARNING MESSAGE: Failed to get shared files list from peer.

ID: 022025

LEVEL: INFORMATION MESSAGE: Failed to process watch event.

ID: 022026

LEVEL: WARNING MESSAGE: Failed to run sync when starting shared resource service.

ID: 022027

LEVEL: WARNING MESSAGE: Timed out while waiting for sync to complete when starting shared resource service.

ID: 022028

LEVEL: WARNING MESSAGE: Failed to register directory %s

ID: 022029

LEVEL: WARNING MESSAGE: Unknown watch event %s

ID: 022030

LEVEL: WARNING MESSAGE: Failed to process symlink event for shared resource

ID: 022031

LEVEL: WARNING MESSAGE: Failed to create symlink for shared resource

ID: 023001

LEVEL: INFORMATION MESSAGE: Error enforcing pool cache devices for %s

ID: 023002

LEVEL: INFORMATION MESSAGE: Error repairing pool status.

ID: 023003

LEVEL: VERBOSE MESSAGE: Unable to retrieve information from peer. Will retry.

ID: 023004

LEVEL: INFORMATION MESSAGE: Pool scrub on pool %s was cancelled on %s

ID: 023005

LEVEL: VERBOSE MESSAGE: Failed to check scrub cancelled.

ID: 023006

LEVEL: VERBOSE MESSAGE: Failed to load the list of pools: %s

ID: 023007

LEVEL: VERBOSE MESSAGE: The list of pools was reloaded.

ID: 023008

LEVEL: VERBOSE MESSAGE: The list of pools does not match. Reloading the pools information...

ID: 023009

LEVEL: VERBOSE MESSAGE: Failed to get ___ shares___ in Monitor.updatePoolsSharesLunsInfo()

ID: 023010

LEVEL: WARNING MESSAGE: The time between your NeST storage system and your %s isn't synchronized properly.

ID: 023011

LEVEL: ERROR MESSAGE: The time between your NeST storage system and your %s isn't synchronized properly.

ID: 023012

LEVEL: ERROR MESSAGE: The following autorepair action failed: %s.

ID: 024001

LEVEL: WARNING MESSAGE: Monitor refresh command timed out.

ID: 024002

LEVEL: INFORMATION MESSAGE: Cache monitor failed to update: %s

ID: 024003

LEVEL: WARNING MESSAGE: Failed to get the site: %s

ID: 024004

LEVEL: WARNING MESSAGE: Failed to check OS free space.

ID: 024005

LEVEL: CRITICAL MESSAGE: %s

ID: 024006

LEVEL: WARNING MESSAGE: %s

ID: 024007

LEVEL: INFORMATION MESSAGE: Unable to retrieve information from peer.

ID: 024008

LEVEL: WARNING MESSAGE: The pools information from the cache file does not match the config file. Pools will be reloaded.

ID: 024009

LEVEL: WARNING MESSAGE: Failed to load the information from the cache file. Error: %s

ID: 024010

LEVEL: INFORMATION MESSAGE: Failed to load missing site settings.

ID: 024011

LEVEL: ERROR MESSAGE: %s

ID: 024012

LEVEL: CRITICAL MESSAGE: Unable to reset peer cache.

ID: 024013

LEVEL: WARNING MESSAGE: Failed to persist the cache information..

ID: 024014

LEVEL: WARNING MESSAGE: Failed to verify the pools information: %s

ID: 024015

LEVEL: ERROR MESSAGE: Failed to get entity %s %s

ID: 024016

LEVEL: CRITICAL MESSAGE: Failed to get entity children %s %s %s

ID: 024017

LEVEL: ERROR MESSAGE: Failed to get quick access map.

ID: 024018

LEVEL: CRITICAL MESSAGE: Failed to get transientData.

ID: 024019

LEVEL: CRITICAL MESSAGE: Failed to reset the system cache.

ID: 024020

LEVEL: CRITICAL MESSAGE: Failed to start load of user cache data.

ID: 024021

LEVEL: CRITICAL MESSAGE: Failed to update entity %s %s %s %s

ID: 024022

LEVEL: INFORMATION MESSAGE: Unable to update the peer cache. Peer is unavailable.

ID: 024023

LEVEL: INFORMATION MESSAGE: Unable to update the peer cache. Peer threw an exception.

ID: 024024

LEVEL: INFORMATION MESSAGE: Failed to get entity for %s because ID is 'null'. This might be due to transitioning Resource Groups.

ID: 025001

LEVEL: ERROR MESSAGE: Could not load the current cluster status.

ID: 025002

LEVEL: WARNING MESSAGE: Failed to log message from event_monitor.

ID: 025003

LEVEL: ERROR MESSAGE: Error from cluster monitor.

ID: 025004

LEVEL: ERROR MESSAGE: Bad error from thread.

ID: 025005

LEVEL: WARNING MESSAGE: The %s cluster resource was manually failed over to Controller %s.%s

ID: 025006

LEVEL: CRITICAL MESSAGE: The NST appliance automatically failed over %s to Controller %s due to a failure condition on Controller %s.%s

ID: 025007

LEVEL: CRITICAL MESSAGE: The %s cluster resource has failed to start on Controller %s and is in a safe broken state.

ID: 025008

LEVEL: WARNING MESSAGE: The %s cluster resource has stopped on Controller %s.

ID: 025009

LEVEL: WARNING MESSAGE: The %s cluster resource is starting up on Controller %s.

ID: 025010

LEVEL: WARNING MESSAGE: The %s cluster resource is stopping on Controller %s.

ID: 026001

LEVEL: ERROR MESSAGE: Failed to get quota users (getAllQuotaUsers).

ID: 026002

LEVEL: ERROR MESSAGE: Failed to get user quota data.

ID: 026003

LEVEL: INFORMATION MESSAGE: The update scan time is: %s

ID: 026004

LEVEL: ERROR MESSAGE: Failed to save usage data points.

ID: 026005

LEVEL: CRITICAL MESSAGE: %s

ID: 027001

LEVEL: WARNING MESSAGE: The System Manager failed to apply requested setting changes before exiting. It is now restoring these settings to their previous values.

ID: 027002

LEVEL: WARNING MESSAGE: Could not restore setting to previous state.

ID: 027003

LEVEL: INFORMATION MESSAGE: Could not load transient settings list.

ID: 027004

LEVEL: WARNING MESSAGE: Could not update cache after transaction.

ID: 028001

LEVEL: INFORMATION MESSAGE: Failed to ping the target server: %s

ID: 028002

LEVEL: INFORMATION MESSAGE: Can not perform test, the system is in a broken state.

ID: 028003

LEVEL: INFORMATION MESSAGE: Can not perform test, could not retrieve site information.

ID: 028004

LEVEL: INFORMATION MESSAGE: Unable to get clustering status.

ID: 028005

LEVEL: INFORMATION MESSAGE: Failed undo setting.

ID: 028006

LEVEL: INFORMATION MESSAGE: Failed to set local setting for test.

ID: 028007

LEVEL: INFORMATION MESSAGE: Failed to complete verification of connectivity.

ID: 028008

LEVEL: INFORMATION MESSAGE: Unexpected exception.

ID: 028009

LEVEL: INFORMATION MESSAGE: Unable to disable interface monitoring.

ID: 028010

LEVEL: INFORMATION MESSAGE: Failed to perform a setting test on the remote node.

ID: 028011

LEVEL: INFORMATION MESSAGE: Unable to get clustering status.

ID: 028012

LEVEL: INFORMATION MESSAGE: Unable to get current system state.

ID: 028013

LEVEL: INFORMATION MESSAGE: Failed to perform a setting test on the remote node.

ID: 028014

LEVEL: INFORMATION MESSAGE: Failed to set local setting for test.

ID: 028015

LEVEL: INFORMATION MESSAGE: Failed undo setting.

ID: 028016

LEVEL: INFORMATION MESSAGE: Unable to verify the aggregation settings for the interface.

ID: 028017

LEVEL: INFORMATION MESSAGE: Unable to determine the dns server ips.

ID: 029001

LEVEL: INFORMATION MESSAGE: %s

ID: 029002

LEVEL: INFORMATION MESSAGE: Starting updateCacheDevices for pool %s

ID: 029003

LEVEL: INFORMATION MESSAGE: Failed to updateCacheDevices, will retry for pool %s

ID: 029004

LEVEL: INFORMATION MESSAGE: updateCacheDevices done for pool %s

ID: 029005

LEVEL: INFORMATION MESSAGE: Failed to log RSF status on remote node.

ID: 029006

LEVEL: VERBOSE MESSAGE: Sending signal updateEntity type=%s id=%s action=%s data=%s

ID: 030001

LEVEL: INFORMATION MESSAGE: Starting System Manager action: %s

ID: 030002

LEVEL: WARNING MESSAGE: Failed to perform System Manager actions: %s
error = %s

ID: 030003

LEVEL: WARNING MESSAGE: Unable to locate and remove shutdown marker.

ID: 030004

LEVEL: WARNING MESSAGE: Failed to close the system cache.

ID: 030005

LEVEL: WARNING MESSAGE: Failed to update heart beats during service manager startup.

ID: 030006

LEVEL: WARNING MESSAGE: Failed to initialize the RMI factory.

ID: 030007

LEVEL: CRITICAL MESSAGE: Failed to start the NxSystemManager service.

ID: 031001

LEVEL: ERROR MESSAGE: Unable to forcefully re-detect storage.

ID: 031002

LEVEL: WARNING MESSAGE: Unable to update cache service after device status change.

ID: 031003

LEVEL: WARNING MESSAGE: The spare drive in bay %s in storage system %s has been used to replace the drive in bay %s %s as part of pool %s

ID: 031004

LEVEL: WARNING MESSAGE: Failed to insert dummy resilver task after receiving drive removed event.

ID: 031005

LEVEL: WARNING MESSAGE: The system detected that the drive in slot %s of storage device %s has failed and replaced it with a hot spare.

ID: 031006

LEVEL: ERROR MESSAGE: Unable to log message: %s

ID: 031007

LEVEL: INFORMATION MESSAGE: Event: %s
Message: %s

ID: 032001

LEVEL: ERROR MESSAGE: Failed to cancel AsyncReplication task.

ID: 032002

LEVEL: ERROR MESSAGE: Error occurred in processing replication task.

ID: 032003

LEVEL: WARNING MESSAGE: Failed to monitor replication progress of dataset: %s

ID: 032004

LEVEL: WARNING MESSAGE: Replication was stopped by signal 9.

ID: 032005

LEVEL: WARNING MESSAGE: Error occurred in dataset destroy task.

ID: 032006

LEVEL: VERBOSE MESSAGE: Exception occurred, while getting the snapshot count for dataset: %s retrying.

ID: 032007

LEVEL: VERBOSE MESSAGE: Failed to revert name reservation.

ID: 032008

LEVEL: VERBOSE MESSAGE: Exception occurred, while getting the snapshot count for dataset: %s

ID: 032009

LEVEL: VERBOSE MESSAGE: Doing block demote on pool %s

ID: 032010

LEVEL: VERBOSE MESSAGE: Promoting block volume %s

ID: 032011

LEVEL: VERBOSE MESSAGE: Doing block promote on pool %s

ID: 032012

LEVEL: ERROR MESSAGE: Error occurred in processing peer reboot task

ID: 032013

LEVEL: ERROR MESSAGE: Error occurred in processing peer shutdown task

ID: 032014

LEVEL: ERROR MESSAGE: Error occurred while trying to power-up peer controller

ID: 032015

LEVEL: ERROR MESSAGE: Error demoting pool.

ID: 032016

LEVEL: ERROR MESSAGE: Failed to restore pool %s to its original state after failed demotion. Please contact Nexsan support.

ID: 032017

LEVEL: CRITICAL MESSAGE: The system failed to unset failover property from pool %s. Replication and snapshots will not occur until this is resolved.

ID: 032018

LEVEL: WARNING MESSAGE: Site failover has been canceled by the user.

ID: 032019

LEVEL: ERROR MESSAGE: Pool failover failed.

ID: 032020

LEVEL: ERROR MESSAGE: Pool promote failed.

ID: 032021

LEVEL: ERROR MESSAGE: Error occurred in processing pool resilver task

ID: 032022

LEVEL: ERROR MESSAGE: Failed to stop pool scrub.

ID: 032023

LEVEL: WARNING MESSAGE: Error occurred in processing pool scrub task

ID: 032024

LEVEL: WARNING MESSAGE: Failed to check if the pool %s is using external storage. The system will perform a scrub for metadata only. Error: %s

ID: 032025

LEVEL: INFORMATION MESSAGE: Scrub for pool: %s

ID: 032026

LEVEL: WARNING MESSAGE: Error occurred in propagating the site IP %s to %s as %s:%s

ID: 032027

LEVEL: WARNING MESSAGE: Remove replication failed.

ID: 032028

LEVEL: INFORMATION MESSAGE: Removed replication task: %s from queue.

ID: 032029

LEVEL: VERBOSE MESSAGE: Retention enforcer could not determine cluster status.

ID: 032030

LEVEL: WARNING MESSAGE: Error enforcing sanity check for tasks

ID: 032031

LEVEL: WARNING MESSAGE: Failed to get replication stub.

ID: 032032

LEVEL: WARNING MESSAGE: Failed to start Task Manager.

ID: 032033

LEVEL: WARNING MESSAGE: Failed to stop Task Manager.

ID: 032034

LEVEL: INFORMATION MESSAGE: Failed to perform pool check.

ID: 032035

LEVEL: INFORMATION MESSAGE: Failed to update state after pool promote fail.

ID: 032036

LEVEL: INFORMATION MESSAGE: A scheduled replication for %s was skipped because a replication for the dataset(s) is currently in progress.

ID: 033002

LEVEL: WARNING MESSAGE: Unknown NMP drive status: %s

ID: 033003

LEVEL: ERROR MESSAGE: Can't remove volume from raid list, volume was not found.

ID: 033004

LEVEL: ERROR MESSAGE: Can't remove raid from storage list, raid was not found.

ID: 033005

LEVEL: ERROR MESSAGE: Can't remove volume from storage list, volume was not found.

ID: 034001

LEVEL: VERBOSE MESSAGE: Discovered new system id: %s, name: %s, controller index: %s, from network interface: %s

ID: 034002

LEVEL: VERBOSE MESSAGE: Discovered new controller for system id: %s, controller index: %s, from network interface: %s

ID: 034003

LEVEL: VERBOSE MESSAGE: Discovered new network interface: %s, for system id: %s, controller index: %s

ID: 034004

LEVEL: VERBOSE MESSAGE: Didn't process NDCP option %s

ID: 034005

LEVEL: VERBOSE MESSAGE: Unknown NDCP option %s

ID: 035001

LEVEL: WARNING MESSAGE: Failed to get controller information from NMP.

ID: 035002

LEVEL: VERBOSE MESSAGE: Failed to connect to external storage device using address %s

ID: 036001

LEVEL: ERROR MESSAGE: Failed to parse network port configuration\n%s

ID: 037001

LEVEL: WARNING MESSAGE: Received a notification from storage device %s with invalid IP address %s

ID: 037002

LEVEL: INFORMATION MESSAGE: Received a notification from storage device with invalid parameters: %s

ID: 037003

LEVEL: INFORMATION MESSAGE: Received an SNMP trap from an unknown source: %s

ID: 037004

LEVEL: INFORMATION MESSAGE: A storage device sent a notification with an unknown format. Notification received: %s. Please review the storage device's logs.

ID: 037005

LEVEL: WARNING MESSAGE: Notification watcher thread was interrupted.

ID: 037006

LEVEL: WARNING MESSAGE: Notifications listener stopped.

ID: 038001

LEVEL: WARNING MESSAGE: Invalid AutoMAID value (%s) for %s. Possible values are %s

ID: 038002

LEVEL: VERBOSE MESSAGE: %s

ID: 038003

LEVEL: VERBOSE MESSAGE: %s

ID: 039001

LEVEL: INFORMATION MESSAGE: Nexsan root certificate isn't loaded, storage configuration might fail if security is enabled on the devices.

ID: 040001

LEVEL: WARNING MESSAGE: Failed to parse address from options.

ID: 040002

LEVEL: WARNING MESSAGE: Failed to get GMT offset from string %s

ID: 040003

LEVEL: WARNING MESSAGE: Failed to get controller information.

ID: 040004

LEVEL: ERROR MESSAGE: The ADMIN password of a storage device was changed, but the system failed to authenticate to it following the change.

ID: 040005

LEVEL: CRITICAL MESSAGE: Device name %s ID %s isn't password protected. Some of the functionalities won't be available.

ID: 041001

LEVEL: ERROR MESSAGE: Error during log query callback.

ID: 042001

LEVEL: ERROR MESSAGE: A storage shutdown/reboot for device %s has failed to be initiated. Please make sure associated pools are properly online.

ID: 042002

LEVEL: WARNING MESSAGE: Pool %s will not be imported following storage power up. The pool is using other storage devices which are still offline and there are no replicas available.

ID: 042003

LEVEL: CRITICAL MESSAGE: Pool %s will not be imported following storage power up. The system is unable to locate all volumes required to access the pool. Please contact Nexsan support.

ID: 042004

LEVEL: ERROR MESSAGE: Failed to validate if exported pool %s uses more than one storage device.

ID: 042005

LEVEL: VERBOSE MESSAGE: Importing pools that were exported as part of storage shutdown.

ID: 042007

LEVEL: VERBOSE MESSAGE: Unknown offlined storage state: %s

ID: 042008

LEVEL: WARNING MESSAGE: Failed to mark offlined device task as completed.

ID: 042009

LEVEL: WARNING MESSAGE: Failed to sync storage %s logs following devices power on.

ID: 042010

LEVEL: VERBOSE MESSAGE: Starting offlined storage manager thread.

ID: 042011

LEVEL: ERROR MESSAGE: Unhandled error received while checking for offlined devices.

ID: 042012

LEVEL: WARNING MESSAGE: Failed to update the system manager when the storage device came back up.

ID: 042013

LEVEL: VERBOSE MESSAGE: Offlined storage was discovered over SAS/Fibre interface.

ID: 042014

LEVEL: WARNING MESSAGE: Offlined storage was not discovered over SAS/Fibre interface.

ID: 042015

LEVEL: WARNING MESSAGE: Failed to run storage discovery when looking for powered back system.

ID: 042016

LEVEL: VERBOSE MESSAGE: IP address of offlined storage not yet reachable.

ID: 042017

LEVEL: VERBOSE MESSAGE: Successfully constructed storage device object.

ID: 042018

LEVEL: WARNING MESSAGE: Failed to constructed storage device object.

ID: 042019

LEVEL: WARNING MESSAGE: Offlined device name %s not visible by the OS.

ID: 042020

LEVEL: WARNING MESSAGE: Unable to import pools following storage power up, the system failed to get the list of devices. System will retry.

ID: 042021

LEVEL: CRITICAL MESSAGE: Storage device %s is back online. However, volumes from the storage appear to be missing. Pools associated with the storage might not be brought online.

ID: 042022

LEVEL: ERROR MESSAGE: Failed to start storage device log query service: %s

ID: 042023

LEVEL: WARNING MESSAGE: Failed to get storage device log synchronisation frequency from the configuration.

ID: 042024

LEVEL: WARNING MESSAGE: The system was unable to synchronize storage device logs. The system will retry automatically.

ID: 042025

LEVEL: WARNING MESSAGE: The system was unable to synchronize storage device logs. The last good synchronisation was at %s the system will retry automatically.

ID: 042026

LEVEL: WARNING MESSAGE: Can't listen to events from storage device, failed to get public address.

ID: 042027

LEVEL: WARNING MESSAGE: Can't listen to events from E-Series device: %s

ID: 042028

LEVEL: WARNING MESSAGE: Failed to fully sync with storage device logs. System reports: \"%s\". Device named \"%s\", IP %s, reported \"%s\"

ID: 042029

LEVEL: WARNING MESSAGE: Failed to update cache service with storage device's health.

ID: 042030

LEVEL: VERBOSE MESSAGE: Syncing all storage devices logs.

ID: 042031

LEVEL: WARNING MESSAGE: Failed to set last E-Series event Property

ID: 042032

LEVEL: INFORMATION MESSAGE: Failed to sync time server and SNMP settings for storage device %s system will retry automatically.

ID: 042033

LEVEL: WARNING MESSAGE: The system was unable to synchronize storage device logs for system with ID 0x%s the last good synchronisation was at %s the system will retry automatically.

ID: 042034

LEVEL: WARNING MESSAGE: The system was unable to synchronize storage device logs for system with ID 0x%s the system will retry automatically.

ID: 042035

LEVEL: VERBOSE MESSAGE: Syncing system event logs.

ID: 042036

LEVEL: ERROR MESSAGE: %s

ID: 042037

LEVEL: INFORMATION MESSAGE: %s

ID: 042038

LEVEL: VERBOSE MESSAGE: All devices from the storage devices are now visible.

ID: 042039

LEVEL: VERBOSE MESSAGE: %s

ID: 042040

LEVEL: INFORMATION MESSAGE: %s

ID: 042041

LEVEL: WARNING MESSAGE: %s

ID: 042042

LEVEL: ERROR MESSAGE: %s

ID: 042043

LEVEL: WARNING MESSAGE: %s

ID: 042044

LEVEL: WARNING MESSAGE: %s

ID: 042045

LEVEL: INFORMATION MESSAGE: %s

ID: 043001

LEVEL: WARNING MESSAGE: Failed to decrypt password for email authentication.

ID: 043002

LEVEL: WARNING MESSAGE: Failed to compute EmailNotificationEntry hash.

ID: 043003

LEVEL: INFORMATION MESSAGE: SMTP server %s is added to the configuration.

ID: 043004

LEVEL: INFORMATION MESSAGE: SMTP server is removed from the configuration.

ID: 044001

LEVEL: INFORMATION MESSAGE: SNMP alerts are enabled.

ID: 044002

LEVEL: INFORMATION MESSAGE: SNMP alerts are disabled.

ID: 045001

LEVEL: ERROR MESSAGE: Failed to sync schedules with remote site. arg count = %s

ID: 045002

LEVEL: ERROR MESSAGE: Failed to sync schedules with remote site. Failed to initialize ConfigManager.

ID: 045003

LEVEL: ERROR MESSAGE: Failed to sync schedules with remote site. Peer IP doesn't match IP address format (%s).

ID: 045004

LEVEL: ERROR MESSAGE: Failed to sync schedules with remote site. Failed to send schedule to remote peer.

ID: 045005

LEVEL: ERROR MESSAGE: Unexpected exception has occurred.

ID: 046001

LEVEL: CRITICAL MESSAGE: Unable to get all ___ shares___.

ID: 046002

LEVEL: ERROR MESSAGE: Unable to perform: %s on ___share___: %s

ID: 046003

LEVEL: ERROR MESSAGE: Unable to get ___ share___ from secondary

ID: 047001

LEVEL: ERROR MESSAGE: Failed to determine cluster configuration while sending notification emails. Passive node events (if applicable) won't be retrieved.

ID: 047002

LEVEL: ERROR MESSAGE: Failed to query passive node event log. Only the active node events will be reported.

ID: 047003

LEVEL: ERROR MESSAGE: Failed to send automated notification email, config manager failed to load.

ID: 047004

LEVEL: ERROR MESSAGE: An error was encountered while sending automated email notifications.

ID: 047005

LEVEL: ERROR MESSAGE: An error was encountered while trying to save new update resource threshold check interval.

ID: 047006

LEVEL: ERROR MESSAGE: An error was encountered while restart the NST resource monitor service.

ID: 048001

LEVEL: CRITICAL MESSAGE: Failed to call the NxZilManager service.

ID: 048002

LEVEL: VERBOSE MESSAGE: ZilManager shutting down.

ID: 048003

LEVEL: ERROR MESSAGE: Failed to close the ZilManager.

ID: 048004

LEVEL: ERROR MESSAGE: Failed to start the NxZilManager service.

ID: 048005

LEVEL: WARNING MESSAGE: The FASTTier write cache performance is degraded. Cause: %s

ID: 048006

LEVEL: WARNING MESSAGE: The FASTTier write cache performance has degraded. Cause: %s

ID: 048007

LEVEL: INFORMATION MESSAGE: The FASTTier write cache is up and ready.

ID: 048008

LEVEL: INFORMATION MESSAGE: The NST appliance has re-established connection with the peer FASTTier service.

ID: 048009

LEVEL: WARNING MESSAGE: The NST appliance has lost connection with the peer FASTTier service.

ID: 048010

LEVEL: WARNING MESSAGE: The NST appliance has lost connection with the peer FASTTier write cache driver.

ID: 048011

LEVEL: WARNING MESSAGE: The Chassis Interconnect HBA driver reports the connection is unstable.

ID: 048012

LEVEL: INFORMATION MESSAGE: The NST appliance has re-established connection with the peer FASTTier write cache driver.

ID: 048013

LEVEL: CRITICAL MESSAGE: The internal SSD device used for backing up FASTTier write cache on %s is not connected properly, or it may be experiencing a hardware failure.

ID: 048014

LEVEL: INFORMATION MESSAGE: The internal SSD device used for backing up FASTier write cache on %s was replaced with a new device.

ID: 048015

LEVEL: ERROR MESSAGE: The system has detected a complete power failure on %s, and has initiated an emergency backup of cached data.

ID: 048016

LEVEL: INFORMATION MESSAGE: Emergency backup of cached data has completed on %s. The system will now shutdown the controller.

ID: 048017

LEVEL: WARNING MESSAGE: %s has recovered from a forced shutdown that was initiated due to a power failure/interruption.

ID: 048018

LEVEL: WARNING MESSAGE: There was not enough FASTier Write cache available on the system to assign to: %s

ID: 048019

LEVEL: WARNING MESSAGE: The battery indicator shows that the battery level is too low to support FASTier write cache.

ID: 048020

LEVEL: INFORMATION MESSAGE: The battery indicator shows that the battery has an adequate level to support FASTier write cache.

ID: 048021

LEVEL: INFORMATION MESSAGE: The NST appliance has reestablished connection with %s.

ID: 048022

LEVEL: INFORMATION MESSAGE: Data from %s is now available.

ID: 048023

LEVEL: ERROR MESSAGE: Power has been lost on %s.

ID: 048024

LEVEL: INFORMATION MESSAGE: Power has been reestablished on %s.

ID: 048025

LEVEL: CRITICAL MESSAGE: The battery on %s has degraded
please replace it as soon as possible.

ID: 048026

LEVEL: INFORMATION MESSAGE: The battery on %s was replaced and is operating within normal parameters.

ID: 048027

LEVEL: INFORMATION MESSAGE: The FASTier write cache performance is back to normal.

ID: 048028

LEVEL: WARNING MESSAGE: The NST appliance has lost connection with %s.

ID: 048029

LEVEL: CRITICAL MESSAGE: The Power Management Unit for %s is approaching the end of its lifecycle
please contact Nexsan Support

ID: 048030

LEVEL: INFORMATION MESSAGE: %s NVDIMM Power Management Unit(s) on %s were replaced and are operating within normal parameters.

ID: 048031

LEVEL: WARNING MESSAGE: The NST appliance has lost connectivity with %s.

ID: 048032

LEVEL: INFORMATION MESSAGE: The NST appliance has reestablished connectivity with %s.

ID: 048033

LEVEL: CRITICAL MESSAGE: The Power Management Unit for %s has failed
please contact Nexsan Support

ID: 048034

LEVEL: CRITICAL MESSAGE: The System has detected an issue with %s
please contact Nexsan Support

ID: 048035

LEVEL: CRITICAL MESSAGE: FASTier cache device is down for %s hour(s).

ID: 049001

LEVEL: INFORMATION MESSAGE: %s

ID: 050001

LEVEL: ERROR MESSAGE: Failed to get system state notification messages: %s

ID: 050002

LEVEL: ERROR MESSAGE: Failed to send system state notification fmd email: %s

ID: 050003

LEVEL: ERROR MESSAGE: Failed to send system state notification email: %s

ID: 050004

LEVEL: CRITICAL MESSAGE: %s

ID: 050005

LEVEL: WARNING MESSAGE: %s

ID: 050006

LEVEL: INFORMATION MESSAGE: %s

ID: 050007

LEVEL: WARNING MESSAGE: Failed send message.

ID: 050008

LEVEL: ERROR MESSAGE: Failed to run resource state monitor.

ID: 050009

LEVEL: ERROR MESSAGE: %s

ID: 051001

LEVEL: INFORMATION MESSAGE: Skipping %s %s

ID: 051002

LEVEL: INFORMATION MESSAGE: Starting %s %s

ID: 051003

LEVEL: INFORMATION MESSAGE: Ended %s %s

ID: 051004

LEVEL: INFORMATION MESSAGE: Exception: Ended %s %s Message: %s

ID: 051005

LEVEL: VERBOSE MESSAGE: Loading job file : %s

ID: 051006

LEVEL: VERBOSE MESSAGE: Unable to delete task XML file.

ID: 051007

LEVEL: WARNING MESSAGE: Unable to write to task XML file.

ID: 051008

LEVEL: WARNING MESSAGE: Unable to parse task XML file: %s Error: %s

ID: 051009

LEVEL: WARNING MESSAGE: Removing job specified in file: %s

ID: 051010

LEVEL: VERBOSE MESSAGE: Job file : %s - Running command: %s

ID: 051011

LEVEL: VERBOSE MESSAGE: Action failed to run: %s

ID: 051012

LEVEL: VERBOSE MESSAGE: Job file : %s - Skipped because the system is either not the primary site for the pool or not the active node of the cluster.

ID: 051013

LEVEL: WARNING MESSAGE: Unexpected exception while running job: %s

ID: 051014

LEVEL: WARNING MESSAGE: Unhandled Exception detected reading new file: %s

ID: 051015

LEVEL: ERROR MESSAGE: Failed to get all the pools from nest.config.xml

ID: 051016

LEVEL: ERROR MESSAGE: Error in scheduler service

ID: 051017

LEVEL: WARNING MESSAGE: Unable to stop snapshot for pool: %s

ID: 051018

LEVEL: WARNING MESSAGE: Unable to parse file %s

ID: 051019

LEVEL: WARNING MESSAGE: Scheduled job file has been deleted. Job will not be run.

ID: 052001

LEVEL: ERROR MESSAGE: Failed to generate schedule report for: %s and user: %s

ID: 052002

LEVEL: ERROR MESSAGE: Failed to get quota users (getQuotaUsers).

ID: 052003

LEVEL: ERROR MESSAGE: Failed to get quota users from peer node (getQuotaUsersFromRemote).

ID: 052004

LEVEL: ERROR MESSAGE: Failed to get user quota data points from peer node (getUserQuotaDataPointFromRemote).

ID: 052005

LEVEL: ERROR MESSAGE: Failed to get the report email path.

ID: 052006

LEVEL: CRITICAL MESSAGE: %s

ID: 053001

LEVEL: CRITICAL MESSAGE: Exception occurred in ___nested_share___ task.

ID: 054001

LEVEL: CRITICAL MESSAGE: Failed to start the NeST discovery server.

ID: 054002

LEVEL: INFORMATION MESSAGE: Usage: java -jar NxNestDiscoveryServer.jar [-xmlfile 'filename']

ID: 054003

LEVEL: ERROR MESSAGE: Failed to close the NeST discovery server.

ID: 054004

LEVEL: CRITICAL MESSAGE: Failed to contact the web services to get the discovery information.

ID: 054005

LEVEL: VERBOSE MESSAGE: This node is a passive node, skipping sending the discovery information.

ID: 054006

LEVEL: VERBOSE MESSAGE: Pool member/Free storage: [%s] Capacity[%s]

ID: 054007

LEVEL: VERBOSE MESSAGE: Root pool storage: [%s] Capacity[%s]

ID: 054008

LEVEL: ERROR MESSAGE: Error leaving the multicast group.

ID: 054009

LEVEL: VERBOSE MESSAGE: Joining group on [%s] IP [%s]

ID: 054010

LEVEL: VERBOSE MESSAGE: Failed to join multicast on [%s] IP [%s]

ID: 054011

LEVEL: VERBOSE MESSAGE: Skipping multicast on [%s] IP [%s] LB[%s] V [%s]

ID: 054012

LEVEL: WARNING MESSAGE: Unable to create the Multicast Socket [%s] : [%s]

ID: 054013

LEVEL: VERBOSE MESSAGE: Successfully received[%s]

ID: 054014

LEVEL: WARNING MESSAGE: Failed to receive datagram

ID: 054015

LEVEL: WARNING MESSAGE: Failed to close object.

ID: 054016

LEVEL: VERBOSE MESSAGE: Discovery payload file [%s]

ID: 054017

LEVEL: VERBOSE MESSAGE: Read %s from the xml config file.

ID: 054018

LEVEL: VERBOSE MESSAGE: Discovery Multicast IP[%s] and Port [%s]

ID: 054019

LEVEL: WARNING MESSAGE: Failed to refresh the discovery information.

ID: 054020

LEVEL: VERBOSE MESSAGE: Received [%s] from [%s]

ID: 054021

LEVEL: VERBOSE MESSAGE: Created a connection to [%s] : [%s]

ID: 054022

LEVEL: WARNING MESSAGE: Failed to create the connection to the client.

ID: 054023

LEVEL: WARNING MESSAGE: Failed to send the discovery payload.

ID: 055001

LEVEL: WARNING MESSAGE: The dataset management daemon failed to validate remote peer connections and audit pools for primary conflicts.

ID: 055002

LEVEL: VERBOSE MESSAGE: Dataset management daemon shutting down.

ID: 055003

LEVEL: VERBOSE MESSAGE: Checking %s for pool primary conflicts.

ID: 055006

LEVEL: CRITICAL MESSAGE: Network communication error occurred attempting to communicate with %s IP: %s

ID: 055007

LEVEL: CRITICAL MESSAGE: A conflict was detected with a pool's replication status, the pool \"%s\" is set as primary both on the local site and the site \"%s\" Please resolve the conflict.

ID: 055011

LEVEL: CRITICAL MESSAGE: Failed to run FailOverTasksConverter background task. The system failed to get configuration parameters

ID: 055012

LEVEL: CRITICAL MESSAGE:
FailOverTasksConverter exception.

ID: 055013

LEVEL: CRITICAL MESSAGE:
FailOverTasksConverter::getUnhandledTasks() failed
to handle a task file: %s

ID: 055014

LEVEL: WARNING MESSAGE: The system
manager failed to validate remote peer connections
and audit pools for primary conflicts

ID: 055015

LEVEL: CRITICAL MESSAGE: A conflict was
detected with a pool's replication status, the pool
\"%s\" is set as primary both on the local site and the
site \"%s\". Please resolve the conflict.

ID: 055016

LEVEL: VERBOSE MESSAGE: Checking pool %s
for pool primary conflicts.

ID: 055017

LEVEL: VERBOSE MESSAGE: Ignoring pool %s
while checking for pool primary conflicts. The local
site is not primary for the pool.

ID: 055018

LEVEL: VERBOSE MESSAGE: Pinging all peers to
test connectivity.

ID: 055019

LEVEL: VERBOSE MESSAGE: Checking all pools
for pool primary conflicts.

ID: 055020

LEVEL: ERROR MESSAGE: Network
communication error occurred attempting to
communicate with %s (IP: %s).

ID: 056001

LEVEL: ERROR MESSAGE: Failed to get site
information in GetSiteInfo app. Can't get site serial
arguments, not enough arguments

ID: 056002

LEVEL: ERROR MESSAGE: Failed to get site
information in GetSiteInfo app.

ID: 056003

LEVEL: ERROR MESSAGE: Invalid type to get: %s

ID: 056004

LEVEL: CRITICAL MESSAGE: Unknown type to get:
%s

ID: 056005

LEVEL: ERROR MESSAGE: Failed to set site
information in SetSiteInfo app. Can't get site serial
arguments, not enough arguments

ID: 056006

LEVEL: ERROR MESSAGE: Failed to set site
information in SetSiteInfo app.

ID: 056007

LEVEL: ERROR MESSAGE: Invalid type to set: %s

ID: 056008

LEVEL: ERROR MESSAGE: Failed to set site
information in SetSiteInfo app. Can't get site ip
arguments, not enough arguments

ID: 056009

LEVEL: ERROR MESSAGE: Failed to retrieve site
ID from args: %s

ID: 056010

LEVEL: ERROR MESSAGE: Failed to retrieve site IP
from args: %s

ID: 056011

LEVEL: ERROR MESSAGE: Error while setting IP :
%s for remote site %s

ID: 057001

LEVEL: CRITICAL MESSAGE: Message: %s Fields:
%s

ID: 057002

LEVEL: WARNING MESSAGE: Message: %s
Fields: %s

ID: 057003

LEVEL: WARNING MESSAGE: Message: %s
Fields: %s

ID: 057004

LEVEL: WARNING MESSAGE: Message: %s
Fields: %s

ID: 057005

LEVEL: WARNING MESSAGE: Cannot save the
fmdamd faulty message IDs.

ID: 057006

LEVEL: WARNING MESSAGE: Cannot load the
fmdamd faulty message IDs.

ID: 057007

LEVEL: INFO MESSAGE: No UUID for faulty
message.

ID: 058001

LEVEL: WARNING MESSAGE: Error initiating
SNMP agent: %s

ID: 058002

LEVEL: WARNING MESSAGE: Unable to process
line in SNMP cache file.

ID: 058003

LEVEL: WARNING MESSAGE: Unable to read
SNMP cache file.

ID: 058004

LEVEL: WARNING MESSAGE: Unable to
enumerate interfaces.

ID: 058005

LEVEL: WARNING MESSAGE: Unable to read
sensor data.

ID: 058006

LEVEL: WARNING MESSAGE: Unable to read
system service list.

ID: 058007

LEVEL: WARNING MESSAGE: Could not retrieve
service list from the config file.

ID: 058008

LEVEL: WARNING MESSAGE: Could not update
service status.

ID: 058009

LEVEL: WARNING MESSAGE: Could not update
service status.

ID: 058010

LEVEL: WARNING MESSAGE: Could not retrieve
proxy configuration from the config file.

ID: 058011

LEVEL: WARNING MESSAGE: No proxy specified.

ID: 058012

LEVEL: WARNING MESSAGE: Could not initialize
proxy for OID: %s

ID: 058013

LEVEL: WARNING MESSAGE: Unable to
enumerate storage.

ID: 058014

LEVEL: ERROR MESSAGE: Could not create
intemode SNMP proxy.

ID: 058015

LEVEL: ERROR MESSAGE: Unable to list SNMP
contexts.

ID: 058016

LEVEL: WARNING MESSAGE: Could not retrieve
SNMP port from the config file. Using default value.

ID: 058017

LEVEL: WARNING MESSAGE: Could not retrieve
SNMP agent mode from the config file. Using default

value.

ID: 058018

LEVEL: ERROR MESSAGE: Unable to connect to internode address.

ID: 058019

LEVEL: ERROR MESSAGE: Unable to load data provider for instance: %s

ID: 058020

LEVEL: ERROR MESSAGE: Data provider %s was unable to update.

ID: 058021

LEVEL: ERROR MESSAGE: Error loading data for SNMP from device @ %s (attempt %s of %s): %s

ID: 058022

LEVEL: WARNING MESSAGE: Unable to enumerate sensors for external storage device.

ID: 058023

LEVEL: WARNING MESSAGE: Unable to display disk statistics.

ID: 058024

LEVEL: WARNING MESSAGE: Unable to discover physical memory statistics.

ID: 058025

LEVEL: WARNING MESSAGE: Exception occurred trying to retrieve the system memory configuration.

ID: 058026

LEVEL: WARNING MESSAGE: Unable to enumerate drive controllers.

ID: 058027

LEVEL: WARNING MESSAGE: Unable to parse pool quota.

ID: 058028

LEVEL: WARNING MESSAGE: Unable to parse pool size.

ID: 058029

LEVEL: WARNING MESSAGE: Unable to parse pool reservation.

ID: 058030

LEVEL: WARNING MESSAGE: Unable to get external storage status.

ID: 058031

LEVEL: WARNING MESSAGE: Unable to load NIC filter.

ID: 058032

LEVEL: WARNING MESSAGE: Could not update service status.

ID: 058033

LEVEL: WARNING MESSAGE: Unable to report system load device.

ID: 058034

LEVEL: WARNING MESSAGE: Could not retrieve system host name. Using default value.

ID: 058035

LEVEL: WARNING MESSAGE: Could not retrieve system host name. Using local hostname.

ID: 058036

LEVEL: WARNING MESSAGE: Could not retrieve System contact info from the config file. Using default value.

ID: 058037

LEVEL: WARNING MESSAGE: Could not retrieve System description from the config file. Using default value.

ID: 058038

LEVEL: INFORMATION MESSAGE: Could not retrieve System description from the config file. Using default value.

ID: 058039

LEVEL: INFORMATION MESSAGE: Could not retrieve System description from the config file. Using

default value.

ID: 058040

LEVEL: WARNING MESSAGE: Could not retrieve snmp configuration from the config file.

ID: 058041

LEVEL: ERROR MESSAGE: Could not create internode SNMP proxy.

ID: 058042

LEVEL: ERROR MESSAGE: Could not create internode SNMP community.

ID: 058043

LEVEL: ERROR MESSAGE: Could not decrypt SNMP support primary string.

ID: 058044

LEVEL: ERROR MESSAGE: Could not decrypt SNMP support secondary string.

ID: 058045

LEVEL: ERROR MESSAGE: Error managing device list: %s

ID: 058046

LEVEL: WARNING MESSAGE: Could not prime Nexsan support SNMP strings.

ID: 058047

LEVEL: WARNING MESSAGE: Unable to parse external sensor value.

ID: 058048

LEVEL: WARNING MESSAGE: Unable to connect to external storage.

ID: 058049

LEVEL: WARNING MESSAGE: Could not retrieve storage device list from the flat file. Using default value.

ID: 058050

LEVEL: WARNING MESSAGE: Unable to process cached SNMP data.

ID: 058051

LEVEL: WARNING MESSAGE: Unable to display external storage.

ID: 058052

LEVEL: WARNING MESSAGE: Error connecting external storage.

ID: 058053

LEVEL: WARNING MESSAGE: Could not add device %s. Skipping.

ID: 058054

LEVEL: WARNING MESSAGE: Could not get device list file. Using default values.

ID: 058055

LEVEL: WARNING MESSAGE: Unable to enumerate interfaces for external storage device.

ID: 058056

LEVEL: WARNING MESSAGE: Could not parse NIC MAC address.

ID: 058057

LEVEL: INFORMATION MESSAGE: Could not parse NIC speed.

ID: 058058

LEVEL: INFORMATION MESSAGE: Could not parse NIC input byte count.

ID: 058059

LEVEL: INFORMATION MESSAGE: Could not parse NIC error count.

ID: 058060

LEVEL: WARNING MESSAGE: Unable to retrieve storage device list.

ID: 058061

LEVEL: WARNING MESSAGE: Unable to retrieve system cache memory statistics.

ID: 058062

LEVEL: WARNING MESSAGE: Could not query storage device drive list.

ID: 058063

LEVEL: WARNING MESSAGE: Unable to enumerate RAID arrays.

ID: 058064

LEVEL: WARNING MESSAGE: Unable to enumerate volumes.

ID: 058065

LEVEL: WARNING MESSAGE: Unable to register scalar from %s

ID: 058066

LEVEL: WARNING MESSAGE: Unable to register table from %s

ID: 058067

LEVEL: WARNING MESSAGE: Unable to stash value from: %s

ID: 058068

LEVEL: WARNING MESSAGE: Unable to process value from: %s

ID: 058069

LEVEL: ERROR MESSAGE: Tried to call getValue (OID)

ID: 058070

LEVEL: WARNING MESSAGE: Failed to catch instance map: %s

ID: 058071

LEVEL: INFORMATION MESSAGE: Unable to load stale time for Interfaces table. Using default.

ID: 058072

LEVEL: WARNING MESSAGE: Could not parse int: %s

ID: 058073

LEVEL: WARNING MESSAGE: Unable to map physical to logical disks.

ID: 058074

LEVEL: WARNING MESSAGE: Error retrieving SAS chassis info.

ID: 058075

LEVEL: INFORMATION MESSAGE: Unable to load stale time for LMSensors table. Using default.

ID: 058076

LEVEL: VERBOSE MESSAGE: %s

ID: 058077

LEVEL: WARNING MESSAGE: Unable to parse cpu load averages.

ID: 058078

LEVEL: WARNING MESSAGE: Error enumerating SAS and Fibre Channel devices. If there are no SAS or FC adapters present, ignore this message.

ID: 058079

LEVEL: INFORMATION MESSAGE: Unable to load stale time for Nexsan external storage devices. Using default.

ID: 058080

LEVEL: WARNING MESSAGE: Unable to retrieve system up-time.

ID: 058081

LEVEL: WARNING MESSAGE: Unable to retrieve system time.

ID: 058082

LEVEL: WARNING MESSAGE: Nexsan storage device at %s requires authentication.

ID: 058083

LEVEL: WARNING MESSAGE: Unable to process verbosity level [%s]

ID: 058084

LEVEL: INFORMATION MESSAGE: Unable to load update thread count. Using default.

ID: 058085

LEVEL: WARNING MESSAGE: Error preparing hrDeviceTableRow from: %s

ID: 058086

LEVEL: INFORMATION MESSAGE: Unable to load stable stale Timetable. Using default.

ID: 058087

LEVEL: INFORMATION MESSAGE: Unable to load stale time for Processors table. Using default.

ID: 058088

LEVEL: WARNING MESSAGE: Unable to parse cpu id.

ID: 058089

LEVEL: WARNING MESSAGE: Unable to parse cpu parameters.

ID: 058090

LEVEL: WARNING MESSAGE: Unable to detect SAS link rate.

ID: 058091

LEVEL: WARNING MESSAGE: Cannot retrieve service name.

ID: 058092

LEVEL: WARNING MESSAGE: Unable to determine process state.

ID: 058093

LEVEL: WARNING MESSAGE: Unable to retrieve process ID for service.

ID: 058094

LEVEL: WARNING MESSAGE: Could not retrieve process memory size.

ID: 058095

LEVEL: WARNING MESSAGE: Could not retrieve process clock time.

ID: 058096

LEVEL: WARNING MESSAGE: Error investigating memory device.

ID: 058097

LEVEL: WARNING MESSAGE: Failed to download data for SNMP from ESeries at address %s

ID: 058098

LEVEL: WARNING MESSAGE: Failed to send signal for confmp2 download.

ID: 059001

LEVEL: WARNING MESSAGE: %s.

ID: 060001

LEVEL: CRITICAL MESSAGE: The CallHome service was terminated for an unknown reason please contact Nexsan Support.

ID: 060002

LEVEL: ERROR MESSAGE: The configuration settings for the CallHome connection via Client could not be synchronized between the two controller nodes. Please reapply the setting on both controllers if the problem persists contact Nexsan Support.

ID: 060003

LEVEL: ERROR MESSAGE: The CallHome service is unable to transfer logs
this error may be due to an issue during an upgrade of the CallHome service.

ID: 060004

LEVEL: CRITICAL MESSAGE: The CallHome service failed to send logs via %s

ID: 060005

LEVEL: WARNING MESSAGE: The CallHome service failed to send logs on controller %s via %s. The CallHome service will retry on controller %s.

ID: 060006

LEVEL: INFORMATION MESSAGE: The CallHome successfully transferred the log package on controller %s via %s.

ID: 060007

LEVEL: ERROR MESSAGE: The CallHome service update failed
if the problem persists, please contact Nexsan Support.

ID: 060008

LEVEL: INFORMATION MESSAGE: The CallHome service is starting.

ID: 140001

LEVEL: WARNING MESSAGE: Cluster has duplicate heartbeats. This may be due to an error in cabling or in cluster configuration.

ID: 140002

LEVEL: CRITICAL MESSAGE: %s

ID: 140003

LEVEL: CRITICAL MESSAGE: System error %s

ID: 140004

LEVEL: CRITICAL MESSAGE: Cluster service: %s

ID: 140005

LEVEL: CRITICAL MESSAGE: %s

ID: 140006

LEVEL: CRITICAL MESSAGE: Mismatch between physical pools on the system and number of configured pools.

ID: 140007

LEVEL: CRITICAL MESSAGE: Bad DIMM identified: %s

ID: 140008

LEVEL: CRITICAL MESSAGE: %s

ID: 140009

LEVEL: WARNING MESSAGE: System error %s

ID: 140010

LEVEL: WARNING MESSAGE: IPMI SEL:\n %s

ID: 140011

LEVEL: INFORMATION MESSAGE: Failed to send log package by %s at %s

ID: 140012

LEVEL: CRITICAL MESSAGE: Connection Down: %s

ID: 140013

LEVEL: WARNING MESSAGE: %s

ID: 140014

LEVEL: WARNING MESSAGE: %s

ID: 140015

LEVEL: WARNING MESSAGE: %s

ID: 140016

LEVEL: WARNING MESSAGE: %s

ID: 140017

LEVEL: WARNING MESSAGE: %s

ID: 140018

LEVEL: CRITICAL MESSAGE: %s

ID: 150001

LEVEL: INFORMATION MESSAGE: Pool hook done: %s %s %s

ID: 150002

LEVEL: INFORMATION MESSAGE: Cluster hook done: %s %s %s

ID: 150003

LEVEL: INFORMATION MESSAGE: ZFS System signal: %s %s

ID: 150004

LEVEL: INFORMATION MESSAGE: MPath System signal: %s %s

ID: 150005

LEVEL: INFORMATION MESSAGE: Failed to load virtual ESeries from file

ID: 150006

LEVEL: INFORMATION MESSAGE: Failed to save virtual ESeries to file

ID: 150007

LEVEL: INFORMATION MESSAGE: Failed to load VM storage configuration from config file

ID: 150008

LEVEL: WARNING MESSAGE: Unknown JBOD model: %s

ID: 150009

LEVEL: WARNING MESSAGE: Unknown chassis type: %s

ID: 150010

LEVEL: WARNING MESSAGE: Unexpected error nxdisk chassis collection

ID: 150011

LEVEL: WARNING MESSAGE: Failed to get reserved devices in NxDisk

ID: 150012

LEVEL: WARNING MESSAGE: Failed to log changes in drive layout

ID: 150013

LEVEL: WARNING MESSAGE: Greetings line doesn't match expected pattern (%s).

ID: 150014

LEVEL: WARNING MESSAGE: Unexpected error login to NMP.

ID: 150015

LEVEL: WARNING MESSAGE: Failed to load storage password

ID: 150016

LEVEL: WARNING MESSAGE: Failed to open NMP connection to %s

ID: 150017

LEVEL: WARNING MESSAGE: Unable to authenticate to storage %s

ID: 150018

LEVEL: WARNING MESSAGE: Unable to connect to storage %s

ID: 150019

LEVEL: WARNING MESSAGE: Unexpected error opening NMP session to storage %s

ID: 150020

LEVEL: WARNING MESSAGE: Unexpected error loading ESeries storage enclosure %s

ID: 150021

LEVEL: WARNING MESSAGE: Unable to load enclosure

ID: 150022

LEVEL: WARNING MESSAGE: The system failed to read the configuration file for ESeries %s

ID: 150023

LEVEL: WARNING MESSAGE: Failed to parse address from options

ID: 150024

LEVEL: WARNING MESSAGE: Failed to load volumes for storage %s

ID: 150025

LEVEL: CRITICAL MESSAGE: The system did not connect to the expected storage device, this issue is likely caused by an IP conflict

ID: 150026

LEVEL: CRITICAL MESSAGE: The system failed to create heartbeat volume on enclosure %s

ID: 150027

LEVEL: CRITICAL MESSAGE: Unable to determine if PGR3 reservation are enabled

ID: 150030

LEVEL: CRITICAL MESSAGE: Failed to update cluster reservation, please contact Nexsan support

ID: 150031

LEVEL: INFORMATION MESSAGE: Issued SCSI reservation for service %s\n%s

ID: 150032

LEVEL: INFORMATION MESSAGE: Released SCSI reservation for service %s\n%s

ID: 150033

LEVEL: CRITICAL MESSAGE: The system failed to enable persistent device reservation

ID: 150034

LEVEL: CRITICAL MESSAGE: The system failed to disable persistent device reservation

ID: 150035

LEVEL: CRITICAL MESSAGE: The system failed to reset the cluster configuration

ID: 150036

LEVEL: CRITICAL MESSAGE: The system failed to update virtual volume disk heartbeats

ID: 150037

LEVEL: INFORMATION MESSAGE: Persistent reservation has been enabled on the system

ID: 150038

LEVEL: WARNING MESSAGE: Persistent reservation has not been enabled. The system requires that the firmware of the attached ESeries be upgraded.

ID: 150039

LEVEL: ERROR MESSAGE: The system encountered an unexpected error while enabling persistent reservation

ID: 150040

LEVEL: INFORMATION MESSAGE: Persistent reservation has been disabled on the system

ID: 150041

LEVEL: INFORMATION MESSAGE: Failed to load heartbeat and reservation properties

ID: 150042

LEVEL: INFORMATION MESSAGE: Failed to save heartbeat and reservation properties

ID: 150043

LEVEL: INFORMATION MESSAGE: Failed to load heartbeats and reservation problems

ID: 150044

LEVEL: WARNING MESSAGE: %s

ID: 150045

LEVEL: WARNING MESSAGE: %s

ID: 150046

LEVEL: WARNING MESSAGE: %s

ID: 150047

LEVEL: WARNING MESSAGE: %s

ID: 150048

LEVEL: WARNING MESSAGE: %s

ID: 150049

LEVEL: WARNING MESSAGE: %s

ID: 150050

LEVEL: WARNING MESSAGE: An unexpected error occurred while processing reservation auto-repair

ID: 150051

LEVEL: WARNING MESSAGE: Service group %s has unreserved devices

ID: 150052

LEVEL: WARNING MESSAGE: Attempting to repair reservation for service %s

ID: 150053

LEVEL: WARNING MESSAGE: Unreserved devices for service %s have been cleared

ID: 150054

LEVEL: WARNING MESSAGE: There was an unexpected issue processing ESeries FW change

ID: 150055

LEVEL: INFORMATION MESSAGE: The system detected a FW upgrade of system %s from %s to %s

ID: 150056

LEVEL: WARNING MESSAGE: The following devices do not support persistent reservations: %s

ID: 150057

LEVEL: WARNING MESSAGE: Failed to load PGR3 blacklist

ID: 150058

LEVEL: WARNING MESSAGE: Failed to load PGR3 blacklist from configuration

ID: 150059

LEVEL: WARNING MESSAGE: Send logs because of heartbeats or reservation error: %s

ID: 150060

LEVEL: INFORMATION MESSAGE: Refreshed failfast for service %s\n%s

ID: 150061

LEVEL: ERROR MESSAGE: Failed to enable conflict detection for pool %s

ID: 150062

LEVEL: WARNING MESSAGE: Failed to determine the status of reverse connectivity.

ID: 150063

LEVEL: WARNING MESSAGE: Failed to load backed up encryption keys: %s

ID: 150064

LEVEL: WARNING MESSAGE: Failed to save backed up encryption keys: %s

ID: 150065

LEVEL: WARNING MESSAGE: Failed to getRemoteSiteUserConnection

ID: 150066

LEVEL: WARNING MESSAGE: Failed to create pool %s hidden dataset for RON.

ID: 150067

LEVEL: WARNING MESSAGE: Failed to rollback RON hidden dataset creation for pool %s.

ID: 150068

LEVEL: WARNING MESSAGE: Failed to reset RON.

ID: 150069

LEVEL: WARNING MESSAGE: Failed to send replicator update to peer

ID: 150070

LEVEL: WARNING MESSAGE: Failed to send replicator update to local cache service

ID: 150071

LEVEL: WARNING MESSAGE: Failed to initialize RON

ID: 150072

LEVEL: WARNING MESSAGE: Failed to load RON public key

ID: 150073

LEVEL: WARNING MESSAGE: Failed to load RON private key

ID: 150074

LEVEL: WARNING MESSAGE: Failed to unsubscribe %s from the central server.

ID: 150075

LEVEL: WARNING MESSAGE: Failed to get info about available folder with folder ID: %s

ID: 150076

LEVEL: WARNING MESSAGE: Unable to set bandwidth limit for '%s'.

ID: 150077

LEVEL: WARNING MESSAGE: Failed to run 'cfg_ ron -c enable' command.

ID: 150078

LEVEL: WARNING MESSAGE: Failed to run 'cfg_ ron -c disable' command.

ID: 150079

LEVEL: WARNING MESSAGE: The system was unable to apply the WAN settings to '%s'.

ID: 150080

LEVEL: WARNING MESSAGE: The system was unable to accelerate the delete of the replicated folder: '%s'.

ID: 150081

LEVEL: WARNING MESSAGE: Failed to delete Organisation, please contact Nexsan Support for assistance.

ID: 150082

LEVEL: WARNING MESSAGE: We failed to remove authentication keys after leaving the organization, please contact Nexsan support to resolve this situation

ID: 150083

LEVEL: WARNING MESSAGE: Failed to obtain Organization ID for delete Organisation operation, please contact Nexsan Support for assistance.

ID: 150084

LEVEL: INFORMATION MESSAGE: Ron hook command: %s\n%s

ID: 150085

LEVEL: ERROR MESSAGE: Ron hook command failed: %s

ID: 150086

LEVEL: WARNING MESSAGE: Failed to unsubscribe ___share___ %s as part of delete: %s

ID: 150087

LEVEL: WARNING MESSAGE: Trying to save a null entry for config key %s

ID: 150088

LEVEL: WARNING MESSAGE: Trying to save an invalid replicator ID for %s

ID: 15089

LEVEL: WARNING MESSAGE: Missing replicators IDs, there are %s IDs: %s

ID: 150090

LEVEL: WARNING MESSAGE: Unable to refresh Org info
CS retruned code: %s

ID: 150091

LEVEL: WARNING MESSAGE: Unable to refresh Org info
method threw an exception.

ID: 150092

LEVEL: ERROR MESSAGE: Failed to stop replicator service as part of the site reset.

ID: 150093

LEVEL: ERROR MESSAGE: Failed to disable replicator service as part of the site reset.

ID: 150094

LEVEL: ERROR MESSAGE: Failed to get list of excluded files from the replicator.

ID: 150095

LEVEL: ERROR MESSAGE: Failed to query RON status.

ID: 150096

LEVEL: WARNING MESSAGE: Failed to query ronpool status.

ID: 150097

LEVEL: ERROR MESSAGE: Unity has failed to clear error(s) on pool '%s'.

ID: 150098

LEVEL: WARNING MESSAGE: Exception occurred during zpool clear operation on %s.

ID: 150099

LEVEL: ERROR MESSAGE: The system is unable to clear the faulty status on %s. The operation of n-WaySync might not be functioning as expected. Please make sure the storage is properly connected to the Unity appliance. If the problem persists, please contact Nexsan Support.

ID: 150100

LEVEL: INFORMATION MESSAGE: The system cleared errors on %s.

ID: 150101

LEVEL: WARNING MESSAGE: REST call to CS failed.

ID: 150102

LEVEL: WARNING MESSAGE: Failed to delete metadata dataset for pool %s.

ID: 150103

LEVEL: WARNING MESSAGE: Unable to delete metadata dataset for pool %s, ___share___ %s is still marked as synched.

ID: 150104

LEVEL: WARNING MESSAGE: Unable to delete metadata dataset for pool %s, there was an error validating it does not contain replicated ___shares___

—

ID: 150105

LEVEL: WARNING MESSAGE: Unable to cleanup ron properties and snapshots for dataset %s.

ID: 150106

LEVEL: WARNING MESSAGE: Failed to rebrand the system to Unity.

ID: 150107

LEVEL: INFORMATION MESSAGE: The system successfully changed brands to %s.

ID: 150108

LEVEL: WARNING MESSAGE: The system was unable to determine the current brand.

ID: 150109

LEVEL: WARNING MESSAGE: Unable to refresh cache after brand change.

ID: 150111

LEVEL: WARNING MESSAGE: The system is unable to get access points for replicated folder %s. The UI will try to reconstruct them.

ID: 150112

LEVEL: WARNING MESSAGE: Unable to get latest information about mobile app access for %s with status %s

ID: 150113

LEVEL: WARNING MESSAGE: Unable to refresh mobile app access info for replicated folders.

ID: 150115

LEVEL: ERROR MESSAGE: We were not able to apply the initial permissions on the new ___share___ %s. Please ensure the permissions are properly set on the ___share___

ID: 150116

LEVEL: ERROR MESSAGE: The monitor is unable to refresh replicator firmware information.

ID: 150117

LEVEL: ERROR MESSAGE: The system is unable to refresh replicator firmware information at log-in.

ID: 150118

LEVEL: WARNING MESSAGE: Unable to get latest information about web file access for %s with status %s

ID: 150119

LEVEL: WARNING MESSAGE: Unable to refresh web file access info for replicated folders.

ID: 150220

LEVEL: WARNING MESSAGE: Unable to obtain AD SID from AD user name '%s'

ID: 150221

LEVEL: WARNING MESSAGE: Unable to resolve AD SID '%s' to AD user name.

ID: 150222

LEVEL: WARNING MESSAGE: Unable to get latest information about access flags for %s with status %s

ID: 150223

LEVEL: WARNING MESSAGE: Unable to refresh access info flags for replicated folders.

ID: 150224

LEVEL: WARNING MESSAGE: Unable to refresh access flags for replicated folder.

ID: 150225

LEVEL: ERROR MESSAGE: Inconsistencies in replicatedFolders config file detected. Problematic folders: %s

ID: 150226

LEVEL: ERROR MESSAGE: Failed to run ron cmd 'addpool' command.

ID: 150227

LEVEL: ERROR MESSAGE: Failed to run ron cmd 'checkPoolInitialized' command.

ID: 150228

LEVEL: ERROR MESSAGE: Failed to change the properties for collective device on CS with status: %s

ID: 150229

LEVEL: ERROR MESSAGE: The folder, '%s', is not in replicated list, but failed it to replicate due to CS returning name conflict error.

ID: 150230

LEVEL: ERROR MESSAGE: The system was unable to retrieve its assigned ID on the Central Servers. Please contact Nexsan Support.

ID: 150231

LEVEL: ERROR MESSAGE: Failed to send site name to CS during joinOrg operation. The joining operation itself was successful.

ID: 150232

LEVEL: ERROR MESSAGE: The send acknowledgement about open UI %s thread failed.

ID: 150233

LEVEL: ERROR MESSAGE: The system failed to notify CS that the UI is open with status: %s.

ID: 160000

LEVEL: ERROR MESSAGE: The n-Way Sync mechanism was unable to sync files in %s due to insufficient disk space.

ID: 170000

LEVEL: ERROR MESSAGE: The system failed to apply the Assureon configuration.

ID: 170001

LEVEL: ERROR MESSAGE: The system failed to apply the Assureon File System configuration.

ID: 170002

LEVEL: ERROR MESSAGE: The system failed to start the manual archiving jobs

ID: 170003

LEVEL: WARNING MESSAGE: An internal pause on %s was triggered. This should happen only during diagnostics.

ID: 170004

LEVEL: WARNING MESSAGE: Failed to send %s files to archive server. Will retry on next schedule. System reports: %s

ID: 170005

LEVEL: VERBOSE MESSAGE: Failed to sendTruck.
Files in truck: %s

ID: 170006

LEVEL: VERBOSE MESSAGE: Archiving skipped.
%s

ID: 170007

LEVEL: VERBOSE MESSAGE: Shortcutting
skipped. %s

ID: 170008

LEVEL: WARNING MESSAGE: Failed to get
property. %s

ID: 170009

LEVEL: WARNING MESSAGE: Failed to %s

ID: 170010

LEVEL: ERROR MESSAGE: Door handle %s failed.
%s

ID: 170011

LEVEL: VERBOSE MESSAGE: %s

ID: 170012

LEVEL: INFORMATION MESSAGE: %s

ID: 170013

LEVEL: WARNING MESSAGE: An error ocured
archiving watch %s. Error: %s

ID: 170014

LEVEL: ERROR MESSAGE: Failed to clean up old
cache files

ID: 170015

LEVEL: INFORMATION MESSAGE: Creating
realtime watch for %s

ID: 170016

LEVEL: INFORMATION MESSAGE: %s

ID: 170017

LEVEL: ERROR MESSAGE: %s

ID: 170018

LEVEL: INFORMATION MESSAGE: Watch init
failed. %s

ID: 170019

LEVEL: VERBOSE MESSAGE: Watch init succeeded
for %s

ID: 170020

LEVEL: WARNING MESSAGE: Register client
failed. %s

ID: 170021

LEVEL: VERBOSE MESSAGE: %s

ID: 170022

LEVEL: INFORMATION MESSAGE: %s

ID: 170023

LEVEL: WARNING MESSAGE: %s

ID: 170024

LEVEL: VERBOSE MESSAGE: %s

ID: 170025

LEVEL: INFORMATION MESSAGE: %s

ID: 170026

LEVEL: ERROR MESSAGE: %s

ID: 170027

LEVEL: VERBOSE MESSAGE: %s

ID: 170028

LEVEL: VERBOSE MESSAGE: %s

ID: 170029

LEVEL: ERROR MESSAGE: Failed to load cache file
%s Exception: %s

ID: 170030

LEVEL: ERROR MESSAGE: Failed to prepare
RegisterClient payload. Error: %s

ID: 170031

LEVEL: ERROR MESSAGE: %s

ID: 170032

LEVEL: ERROR MESSAGE: Failed to parse: \n%s

ID: 170033

LEVEL: WARNING MESSAGE: Failed to communicate with server: \n%s

ID: 170034

LEVEL: WARNING MESSAGE: Failed to send sync logs: \n%s

ID: 170035

LEVEL: WARNING MESSAGE: Archiving of watch %s failed because the system is unable to find a baseline. A full scan of the file system will be automatically triggered to ensure the archive's consistency

ID: 170036

LEVEL: WARNING MESSAGE: %s

ID: 170037

LEVEL: WARNING MESSAGE: %s

ID: 170038

LEVEL: ERROR MESSAGE: Failed to initialize service, please reconfigure Assureon connection. %s

ID: 170039

LEVEL: ERROR MESSAGE: Failed to wait for kernel to confirm write on %s

ID: 170040

LEVEL: WARNING MESSAGE: The file %s was not successfully archived

ID: 170041

LEVEL: WARNING MESSAGE: Sync called on null cache file for %s

ID: 170042

LEVEL: WARNING MESSAGE: Failed to signal driver of long download

ID: 170043

LEVEL: INFORMATION MESSAGE: %s

ID: 170044

LEVEL: INFORMATION MESSAGE: Expired %s files from %s

ID: 170045

LEVEL: ERROR MESSAGE: Expiring %s files from %s failed: %s

ID: 171000

LEVEL: WARNING MESSAGE: Failed to setup home directories on file system %s. The system will retry automatically.

ID: 171001

LEVEL: WARNING MESSAGE: The system is unable to create home directories on file system %s because the replicator service is still initialising. This will be automatically resolved once the service is ready.

ID: 171002

LEVEL: ERROR MESSAGE: The system failed to sync home directories for pool %s

ID: 171003

LEVEL: ERROR MESSAGE: Failed to create home for user %s on file system %s

ID: 171004

LEVEL: ERROR MESSAGE: Failed to register the new home directory on CS for user %s on file system %s, CS returned %s

ID: 171005

LEVEL: INFORMATION MESSAGE: The file system %s was setup for home directory provisioning.

ID: 171006

LEVEL: ERROR MESSAGE: The system failed to archive directory %s in file system %s.

ID: 171007

LEVEL: ERROR MESSAGE: The \"%s\" directory is missing from file system %s. Please recreate or move back the directory in order to have home directories properly provisioned and accessible.

ID: 171008

LEVEL: ERROR MESSAGE: The \"%s\" directory is missing from file system %s. Please recreate or move back the directory in order to have home directories properly provisioned and accessible. If you recently synced this file system using n-Way, there may be a delay in replicating the directory.

ID: 171009

LEVEL: ERROR MESSAGE: Failed to run home dirs cli.

ID: 171010

LEVEL: INFORMATION MESSAGE: The home directory for user %s has been created on file system %s.

ID: 171011

LEVEL: INFORMATION MESSAGE: The home directory %s on file system %s has been moved to \"%s\".

ID: 171012

LEVEL: INFORMATION MESSAGE: The list of home directory groups for file system %s has been modified to : %s.

ID: 171013

LEVEL: WARNING MESSAGE: The home directory for user %s on file system %s will not be created because the user already has a home directory on file system %s.

ID: 171014

LEVEL: ERROR MESSAGE: The system failed to contact the Active Directory server in order to get the list of users for home directories for file system %s.

ID: 171015

LEVEL: ERROR MESSAGE: The system failed to load the list of home directories groups from central services for file system %s.

ID: 171016

LEVEL: ERROR MESSAGE: The system failed to load the list of home directories users from central services for file system %s.

ID: 171017

LEVEL: ERROR MESSAGE: The system failed to create the home directory for user %s in file system %s.

ID: 171018

LEVEL: INFORMATION MESSAGE: The system renamed home directory %s to %s following user rename.

ID: 171019

LEVEL: INFORMATION MESSAGE: The home directory %s was moved back to it's location from %s.

ID: 171020

LEVEL: ERROR MESSAGE: The system failed to rename directory %s to %s following user rename because the directory already exists.

ID: 171021

LEVEL: ERROR MESSAGE: The system failed to update home directories for file system %s.

ID: 171022

LEVEL: ERROR MESSAGE: The system failed to move the home directory from %s to %s because a directory with the same name already exists.

ID: 171023

LEVEL: ERROR MESSAGE: The system cannot update home directories for file system %s, the %s directory is a file.

ID: 171024

LEVEL: WARNING MESSAGE: The system failed to clear the settings related to home directories for file system %s on the newly split pool %s. Please contact Nexsan support.

ID: 180001

LEVEL: WARNING MESSAGE: Missing interface %s. Please verify that it exists and try reloading the site cache.



Nexsan Headquarters

325 E. Hillcrest Drive, Suite #150
Thousand Oaks, CA 91360
United States of America

Nexsan Shipping

302 Enterprise Street , Suite A
Escondido, CA 92029
United States of America

Nexsan Unity Documentation & Online Help page:

https://helper.nexsansupport.com/unt_support

Worldwide Web

www.nexsan.com

Copyright © 2010-2019 Nexsan Technologies, Inc. All Rights Reserved.

Nexsan® is a trademark or registered trademark of Nexsan Technologies, Inc.

The Nexsan logo is a registered trademark of Nexsan Technologies, Inc.

All other trademarks and registered trademarks are the property of their respective owners.

Document Reference: 20190814PM052201

Nexsan Canada

1405 Trans Canada Highway, Suite 300
Dorval, QC H9P 2V9
Canada

Nexsan UK

Units 33–35, Parker Centre, Mansfield Road
Derby, DE21 4SZ
United Kingdom

Nexsan Unity support:

https://helper.nexsansupport.com/unt_support

This product is protected by one or more of the following patents, and other pending patent applications worldwide:

United States patents US8,191,841, US8,120,922;

United Kingdom patents GB2466535B, GB2467622B, GB2467404B, GB2296798B, GB2297636B